

**REPLACEMENT SEAL KITS FOR LIEBHERR EQUIPMENT /
WIEDEREINBAU-DICHTUNGS-INSTALLATIONSSÄTZE FÜR LIEBHERR
AUSRÜSTUNG / JOINTS DE RECHANGE POUR L'ÉQUIPEMENT DE LIEBHERR /
VERVANGINGS DICHTINGSETS VOOR LIEBHERR MACHINES**

Replacement Seal Kits By Machine Type / Wiedereinbau-Dichtungs-Installationssätze Durch
Maschinen-Art / Kits De Joints De Rechange Par Type De Machines /
Vervangings Dichtingset Per Machine Type

Table of Contents / Inhaltsverzeichnis / Table des Matières / Inhoudstabel

Machine Type / Maschinenart / Type De Machines / Machine Type	Page / Seite / Page / Pagina
Excavators / Bagger / Pelles / Graafmachines	1298 - 1313
R900 C-LI, R900 C HD-S LI, R900 C HD-SL LI, R904 C-LI, R904 C HD-SL 2000 LI, R904 C-HD-SL 2250 LI, R912 HD-SL, R912 LC, R914 B, R914 B HD-S, R914 B HD-SL, R924 B HD-SL LI, R924 Compact, R932 EW, R932 HD-SL, R934 B, R934 C, R934 EW, R934 HD-SL, R934 C HD-S, R934 C HD-SL, R942 HD-SL, R944 B, R944 C, R944 HD-SL, R954 B, R954 C, R954 HD, R964 C	
Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen	1313 - 1322
A309 LI, A311 LI, A312 LI, A314 LI, A316 LI, A900 C-LI, A904 C-LI	
Wheel Loaders / Radlader / Chargeur À Roues / Wielladers	1322 - 1325
L506 Stereo, L507 Stereo, L508 Stereo, L509 Stereo, L538, L538 (Z-bar), L544, L556 2plus2, L556 2plus2 High Lift, L564, L566 2plus2, L566 2plus2 High Lift	
Off-Highway Trucks / Muldenkipper / Tombereaux De Chantier / Starre Dumptrucks	1325
KL2420	
Alpha-Numeric Kit Listing / Alphanumerische Installationssatz- Auflistung / Liste De Kits Numériques- Alpha / Alfa-Numerische Set-Lijst	1326 - 1327
Liebherr Individual Parts / Liebherr Einzelteile / Liebherr Pièces Individu- elles / Liebherr Individuele Onderdelen	1327

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R900 C-LI, R900 C HD-S LI, R900 C HD-SL LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		140 mm	LBH-9165363	
BOOM LIFT (Hyd Adj & Std) / Auslegerheber (Hyd Adj & Std) / Flèche (Hyd Adj & Std) / Hydraulisch verstellbare kraanarm		I-BB-1	70 mm		LBH-9172122	
BOOM LIFT (Hyd Adj & Std) / Auslegerheber (Hyd Adj & Std) / Flèche (Hyd Adj & Std) / Hydraulisch verstellbare kraanarm		N-N-10		120 mm	LBH-9172577	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Ladebaum Heben (Ind Giek)		I-BB-1	85 mm		LBH-9158175	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Ladebaum Heben (Ind Giek)		N-N-10		125 mm	LBH-9060977	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		I-BB-1	50 mm		LBH-9061030	90mm Bore Cyl
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		I-BB-1	50 mm		LBH-9062932	100mm Bore Cyl
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		N-N-10		90 mm	LBH-9061380	90mm Bore Cyl
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		N-N-10		100 mm	LBH-9156042	100mm Bore Cyl
BUCKET (2.05m, 2.45m, 2.65m, 3.05m STICK) / Schaufel (2.05m, 2.45m, 2.65m, 3.05m Stick) / Godet (2.05m, 2.45m, 2.65m, 3.05m Bâton) / Bak (2.05m, 2.45m, 2.65m, 3.05m Stick)		I-BB-1	70 mm		LBH-9951829	
BUCKET (2.05m, 2.45m, 2.65m, 3.05m STICK) / Schaufel (2.05m, 2.45m, 2.65m, 3.05m Stick) / Godet (2.05m, 2.45m, 2.65m, 3.05m Bâton) / Bak (2.05m, 2.45m, 2.65m, 3.05m Stick)		N-N-10		105 mm	LBH-9951831	
BUCKET (2.25m STICK) / Schaufel (2.25m Stick) / Godet (2.25m Bâton) / Bak (2.25m Stick)		I-BB-1	70 mm		LBH-9951829	
BUCKET (2.25m, 2.45m, 2.65m STICK) / Schaufel (2.25m, 2.45m, 2.65m Stick) / Godet (2.25m, 2.45m, 2.65m Bâton) / Bak (2.25m, 2.45m, 2.65m Stick)		I-BB-1	70 mm		LBH-9172117	
BUCKET (2.25m, 2.45m, 2.65m STICK) / Schaufel (2.25m, 2.45m, 2.65m Stick) / Godet (2.25m, 2.45m, 2.65m Bâton) / Bak (2.25m, 2.45m, 2.65m Stick)		N-N-10		100 mm	LBH-9174200	
BUCKET (5.2m STICK) / Schaufel (5.2m Stick) / Godet (5.2m Bâton) / Bak (5.2m Stick)		I-BB-1	60 mm		LBH-9061404	
BUCKET (5.2m STICK) / Schaufel (5.2m Stick) / Godet (5.2m Bâton) / Bak (5.2m Stick)		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	1600mm & 2000mm

LIEBHERR

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R900 C-LI, R900 C HD-S LI, R900 C HD-SL LI						
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	70 mm		LBH-9116590	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		130 mm	LBH-9111341	
STICK / Stiel / Bâton / GraafArm		N-N-10		130 mm	LBH-9171671	
SWIVEL Rotary (C-LI) / Drehen Kreisel (C-LI) / Pivot rotateur (C-LI) / Draaischijf (C-LI)		I-SP-1	95 mm		LBH-9265132	
SWIVEL Rotary (HDS & HDSL) / Drehen Kreisel (HDS & HDSL) / Pivot rotateur (HDS & HDSL) / Draaischijf (HDS & HDSL)		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R904 C-LI, R904 C HD-SL 2000 LI, R904 C-HD-SL 2250 LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		I-BB-1	80 mm		LBH-9063173	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		140 mm	LBH-9165363	
BOOM LIFT (Hyd Adj) / Auslegerheber (Hyd Adj) / Flèche (Hyd Adj) / Hydraulisch verstellbare kraanarm		I-BB-1	85 mm		LBH-9060195	
BOOM LIFT (Hyd Adj) / Auslegerheber (Hyd Adj) / Flèche (Hyd Adj) / Hydraulisch verstellbare kraanarm		N-N-10		130 mm	LBH-9171671	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		I-BB-1	50 mm		LBH-9061030	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		N-N-10		90 mm	LBH-9061380	
BUCKET / Schaufel / Godet / Bak		I-BB-1	80 mm		LBH-9172118	
BUCKET / Schaufel / Godet / Bak		N-N-10		120 mm	LBH-9172577	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	50 mm		LBH-9061030	1700mm
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	1600mm
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		N-N-10		90 mm	LBH-9061380	1700mm
STICK (Hyd Adj BOOM) / Stiel (Hyd Adj Ausleger) / Bâton (Hyd Adj Flèche) / Graaf-arm (Hyd Adj Giek)		I-BB-1	85 mm		LBH-9060195	
STICK (Hyd Adj BOOM) / Stiel (Hyd Adj Ausleger) / Bâton (Hyd Adj Flèche) / Graaf-arm (Hyd Adj Giek)		N-N-10		130 mm	LBH-9171671	
STICK (Ind BOOM) / Stiel (Ind Ausleger) / Bâton (Ind Flèche) / Graafarm (Ind Giek)		I-BB-1	80 mm		LBH-9172118	
STICK (Ind BOOM) / Stiel (Ind Ausleger) / Bâton (Ind Flèche) / Graafarm (Ind Giek)		N-N-10		120 mm	LBH-9172577	
STICK (Lat Adj BOOM) / Stiel (Lat Adj Ausleger) / Bâton (Lat Adj Flèche) / Graafarm (Lat Adj Giek)		I-BB-1	85 mm		LBH-9060195	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R904 C-LI, R904 C HD-SL 2000 LI, R904 C-HD-SL 2250 LI						
STICK (Lat Adj BOOM) / Stiel (Lat Adj Ausleger) / Bâton (Lat Adj Flèche) / Graafarm (Lat Adj Giek)		N-N-10		130 mm	LBH-9171671	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		N-N-10		130 mm	LBH-9171671	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R912 HD-SL, R912 LC						
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	85 mm		LBH-9060195	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		130 mm	LBH-9171671	
BOOM LIFT (Hyd Adj) / Auslegerheber (Hyd Adj) / Flèche (Hyd Adj) / Hydraulisch verstellbare kraanarm		I-BB-1	90 mm		LBH-9060196	
BOOM LIFT (Hyd Adj) / Auslegerheber (Hyd Adj) / Flèche (Hyd Adj) / Hydraulisch verstellbare kraanarm		N-N-10		140 mm	LBH-9165363	
BOOM LIFT (Std & Ind BOOM) / Auslegerheber (Std & Ind Ausleger) / Flèche (Std & Ind Flèche) / Ladebaum Heben (Std & Ind Giek)		I-BB-1	85 mm		LBH-9158175	
BOOM LIFT (Std & Ind BOOM) / Auslegerheber (Std & Ind Ausleger) / Flèche (Std & Ind Flèche) / Ladebaum Heben (Std & Ind Giek)		N-N-10		125 mm	LBH-9060977	
BUCKET (5.5m STICK) / Schaufel (5.5m Stick) / Godet (5.5m Bâton) / Bak (5.5m Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (5.5m STICK) / Schaufel (5.5m Stick) / Godet (5.5m Bâton) / Bak (5.5m Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (Std) / Schaufel (Std) / Godet (Std) / Bak (Std)		I-BB-1	85 mm		LBH-9158175	
BUCKET (Std) / Schaufel (Std) / Godet (Std) / Bak (Std)		N-N-10		125 mm	LBH-9060977	
STICK (4.0m, 5.0m, 5.65m, 7.2m Std BOOM) / Stiel (4.0m, 5.0m, 5.65m, 7.2m Std Ausleger) / Bâton (4.0m, 5.0m, 5.65m, 7.2m Std Flèche) / Graafarm (4.0m, 5.0m, 5.65m, 7.2m Std Giek)		I-BB-1	95 mm		LBH-9060197	
STICK (4.0m, 5.0m, 5.65m, 7.2m Std BOOM) / Stiel (4.0m, 5.0m, 5.65m, 7.2m Std Ausleger) / Bâton (4.0m, 5.0m, 5.65m, 7.2m Std Flèche) / Graafarm (4.0m, 5.0m, 5.65m, 7.2m Std Giek)		N-N-10		140 mm	LBH-9165363	
STICK (6.8m Std BOOM) / Stiel (6.8m Std Ausleger) / Bâton (6.8m Std Flèche) / Graafarm (6.8m Std Giek)		I-BB-1	85 mm		LBH-9158175	
STICK (6.8m Std BOOM) / Stiel (6.8m Std Ausleger) / Bâton (6.8m Std Flèche) / Graafarm (6.8m Std Giek)		N-N-10		125 mm	LBH-9060977	

LIEBHERR

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R912 HD-SL, R912 LC						
STICK (9.7m LR) / Stiel (9.7m LR) / Bâton (9.7m LR) / Graafarm (9.7m LR)		I-BB-1	85 mm		LBH-9158175	
STICK (9.7m LR) / Stiel (9.7m LR) / Bâton (9.7m LR) / Graafarm (9.7m LR)		N-N-10		125 mm	LBH-9060977	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R914 B, R914 B HD-S, R914 B HD-SL						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		I-BB-1	95 mm		LBH-9063136	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		160 mm	LBH-9154141	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	85 mm		LBH-9060195	130mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	90 mm		LBH-9060196	140mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	95 mm		LBH-9062534	150mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		140 mm	LBH-9165363	140mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		150 mm	LBH-9165440	150mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		130 mm	LBH-9171671	130mm Bore Cyl
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		I-BB-1	50 mm		LBH-9061030	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		N-N-10		90 mm	LBH-9061380	
BUCKET (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m STICK) / Schaufel (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m Stick) / Godet (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m Bâton) / Bak (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m Stick)		I-BB-1	85 mm		LBH-9060195	
BUCKET (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m STICK) / Schaufel (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m Stick) / Godet (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m Bâton) / Bak (1.8m, 2.4m, 2.7m, 3m, 3.7m, 5.0m, 5.2m Stick)		N-N-10		130 mm	LBH-9171671	
BUCKET (2.1m, 2.4m, 2.7m, 3m, 3.7m STICK) / Schaufel (2.1m, 2.4m, 2.7m, 3m, 3.7m Stick) / Godet (2.1m, 2.4m, 2.7m, 3m, 3.7m Bâton) / Bak (2.1m, 2.4m, 2.7m, 3m, 3.7m Stick)		I-BB-1	85 mm		LBH-9158175	
BUCKET (2.1m, 2.4m, 2.7m, 3m, 3.7m STICK) / Schaufel (2.1m, 2.4m, 2.7m, 3m, 3.7m Stick) / Godet (2.1m, 2.4m, 2.7m, 3m, 3.7m Bâton) / Bak (2.1m, 2.4m, 2.7m, 3m, 3.7m Stick)		N-N-10		125 mm	LBH-9060977	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R914 B, R914 B HD-S, R914 B HD-SL						
BUCKET (5.0m Ind STICK) / Schaufel (5.0m Ind Stick) / Godet (5.0m Ind Bâton) / Bak (5.0m Ind Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (5.0m Ind STICK) / Schaufel (5.0m Ind Stick) / Godet (5.0m Ind Bâton) / Bak (5.0m Ind Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (5.2m, 6.0m, 6.8m STICK) / Schaufel (5.2m, 6.0m, 6.8m Stick) / Godet (5.2m, 6.0m, 6.8m Bâton) / Bak (5.2m, 6.0m, 6.8m Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (5.2m, 6.0m, 6.8m STICK) / Schaufel (5.2m, 6.0m, 6.8m Stick) / Godet (5.2m, 6.0m, 6.8m Bâton) / Bak (5.2m, 6.0m, 6.8m Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (7.4m LR STICK) / Schaufel (7.4m LR Stick) / Godet (7.4m LR Bâton) / Bak (7.4m LR Stick)		I-BB-1	60 mm		LBH-9061404	
BUCKET (7.4m LR STICK) / Schaufel (7.4m LR Stick) / Godet (7.4m LR Bâton) / Bak (7.4m LR Stick)		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	70 mm		LBH-9116590	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		130 mm	LBH-9111341	
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)		I-BB-1	95 mm		LBH-9060197	140mm Bore Cyl
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)		N-N-10		140 mm	LBH-9165363	140mm Bore Cyl
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	-13609	I-BB-1	105 mm		LBH-9158311	s/n -13609
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	-13609	N-N-10		150 mm	LBH-9165440	s/n -13609
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	13610-	I-BB-1	105 mm		LBH-9158311	s/n 13610-
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	13610-	N-N-10		150 mm	LBH-9165440	s/n 13610-
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		I-BB-1	105 mm		LBH-9158311	150mm Bore Cyl
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		N-N-10		140 mm	LBH-9165363	140mm Bore Cyl

LIEBHERR

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R914 B, R914 B HD-S, R914 B HD-SL						
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		N-N-10		150 mm	LBH-9165440	150mm Bore Cyl
STICK (5.0m, 5.7m, 7.2m, 7.6m, 8.2m Std BOOM) / Stiel (5.0m, 5.7m, 7.2m, 7.6m, 8.2m Std Ausleger) / Bâton (5.0m, 5.7m, 7.2m, 7.6m, 8.2m Std Flèche) / Graafarm (5.0m, 5.7m, 7.2m, 7.6m, 8.2m Std Giek)		N-N-10		140 mm	LBH-9165363	
STICK (5.6m Ind BOOM) / Stiel (5.6m Ind Ausleger) / Bâton (5.6m Ind Flèche) / Graafarm (5.6m Ind Giek)		I-BB-1	80 mm		LBH-9172118	
STICK (5.6m Ind BOOM) / Stiel (5.6m Ind Ausleger) / Bâton (5.6m Ind Flèche) / Graafarm (5.6m Ind Giek)		N-N-10		120 mm	LBH-9172577	
STICK (5.7m, 8.2m, 9.0m Std BOOM) / Stiel (5.7m, 8.2m, 9.0m Std Ausleger) / Bâton (5.7m, 8.2m, 9.0m Std Flèche) / Graafarm (5.7m, 8.2m, 9.0m Std Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (5.7m, 8.2m, 9.0m Std BOOM) / Stiel (5.7m, 8.2m, 9.0m Std Ausleger) / Bâton (5.7m, 8.2m, 9.0m Std Flèche) / Graafarm (5.7m, 8.2m, 9.0m Std Giek)		N-N-10		150 mm	LBH-9165440	
STICK (6.0m Std BOOM) / Stiel (6.0m Std Ausleger) / Bâton (6.0m Std Flèche) / Graafarm (6.0m Std Giek)	-13679	N-N-10		140 mm	LBH-9165363	s/n -13679
STICK (6.0m Std BOOM) / Stiel (6.0m Std Ausleger) / Bâton (6.0m Std Flèche) / Graafarm (6.0m Std Giek)	13680-	I-BB-1	105 mm		LBH-9158311	s/n 13680-
STICK (6.0m Std BOOM) / Stiel (6.0m Std Ausleger) / Bâton (6.0m Std Flèche) / Graafarm (6.0m Std Giek)	13680-	N-N-10		150 mm	LBH-9165440	s/n 13680-
STICK (6.5m, 6.8m Ind BOOM) / Stiel (6.5m, 6.8m Ind Ausleger) / Bâton (6.5m, 6.8m Ind Flèche) / Graafarm (6.5m, 6.8m Ind Giek)		I-BB-1	85 mm		LBH-9158175	
STICK (6.5m, 6.8m Ind BOOM) / Stiel (6.5m, 6.8m Ind Ausleger) / Bâton (6.5m, 6.8m Ind Flèche) / Graafarm (6.5m, 6.8m Ind Giek)		N-N-10		125 mm	LBH-9060977	
STICK (Lat Adj BOOM) / Stiel (Lat Adj Ausleger) / Bâton (Lat Adj Flèche) / Graafarm (Lat Adj Giek)		I-BB-1	95 mm		LBH-9060197	
STICK (Lat Adj BOOM) / Stiel (Lat Adj Ausleger) / Bâton (Lat Adj Flèche) / Graafarm (Lat Adj Giek)		N-N-10		140 mm	LBH-9165363	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R924 B HD-SL LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	95 mm		LBH-9063136	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R924 B HD-SL LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		160 mm	LBH-9154141	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	85 mm		LBH-9060195	130mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	90 mm		LBH-9060196	140mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	95 mm		LBH-9062534	150mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		140 mm	LBH-9165363	140mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		150 mm	LBH-9165440	150mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		130 mm	LBH-9171671	130mm Bore Cyl
BUCKET (3.2m Ind STICK) / Schaufel (3.2m Ind Stick) / Godet (3.2m Ind Bâton) / Bak (3.2m Ind Stick)		I-BB-1	105 mm		LBH-9061003	
BUCKET (3.2m Ind STICK) / Schaufel (3.2m Ind Stick) / Godet (3.2m Ind Bâton) / Bak (3.2m Ind Stick)		N-N-10		160 mm	LBH-9154141	
BUCKET (3.7m FS STICK) / Schaufel (3.7m FS Stick) / Godet (3.7m FS Bâton) / Bak (3.7m FS Stick)		I-BB-1	85 mm		LBH-9158175	
BUCKET (3.7m FS STICK) / Schaufel (3.7m FS Stick) / Godet (3.7m FS Bâton) / Bak (3.7m FS Stick)		N-N-10		125 mm	LBH-9060977	
BUCKET (4.0m, 5.0m Ind STICK) / Schaufel (4.0m, 5.0m Ind Stick) / Godet (4.0m, 5.0m Ind Bâton) / Bak (4.0m, 5.0m Ind Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (7.4m LR STICK) / Schaufel (7.4m LR Stick) / Godet (7.4m LR Bâton) / Bak (7.4m LR Stick)		I-BB-1	60 mm		LBH-9061404	
BUCKET (7.4m LR STICK) / Schaufel (7.4m LR Stick) / Godet (7.4m LR Bâton) / Bak (7.4m LR Stick)		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	
CLAM 10B / Muschel 10B / Palourde 10B / Grijper		I-BB-1	60 mm		LBH-9114673	
CLAM 10B / Muschel 10B / Palourde 10B / Grijper		N-N-10		85 mm	LBH-9113351	
CLAM 70C / Muschel 70C / Palourde 70C / Grijper		I-BB-1	50 mm		LBH-9155154	
CLAM 70C / Muschel 70C / Palourde 70C / Grijper		N-N-10		70 mm	LBH-9063464	
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	-13609	I-BB-1	95 mm		LBH-9060197	s/n -13609

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R924 B HD-SL LI						
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	-13609	N-N-10		140 mm	LBH-9165363	s/n -13609
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	13610-	I-BB-1	105 mm		LBH-9158311	s/n 13610-
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)	13610-	N-N-10		150 mm	LBH-9179503	s/n 13610-
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		I-BB-1	95 mm		LBH-9060197	140mm Bore Cyl
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		I-BB-1	105 mm		LBH-9158311	150mm Bore Cyl
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		N-N-10		140 mm	LBH-9165363	140mm Bore Cyl
STICK (5.0m, 5.5m Hyd Adj BOOM) / Stiel (5.0m, 5.5m Hyd Adj Ausleger) / Bâton (5.0m, 5.5m Hyd Adj Flèche) / Graafarm (5.0m, 5.5m Hyd Adj Giek)		N-N-10		150 mm	LBH-9179503	150mm Bore Cyl
STICK (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std BOOM) / Stiel (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std Ausleger) / Bâton (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std Flèche) / Graafarm (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std Giek)		I-BB-1	95 mm		LBH-9060197	
STICK (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std BOOM) / Stiel (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std Ausleger) / Bâton (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std Flèche) / Graafarm (5.0m, 5.7m, 6.0m, 7.6m, 8.2m Std Giek)		N-N-10		140 mm	LBH-9165363	
STICK (5.7m, 5.9m, 6.0m, 8.2m, 9.0m Std BOOM) / Stiel (5.7m, 8.2m, 9.0m Std Ausleger) / Bâton (5.7m, 8.2m, 9.0m Std Flèche) / Graafarm (5.7m, 8.2m, 9.0m Std Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (5.7m, 5.9m, 6.0m, 8.2m, 9.0m Std BOOM) / Stiel (5.7m, 8.2m, 9.0m Std Ausleger) / Bâton (5.7m, 8.2m, 9.0m Std Flèche) / Graafarm (5.7m, 8.2m, 9.0m Std Giek)		N-N-10		150 mm	LBH-9179503	
STICK (Ind BOOM) / Stiel (Ind Ausleger) / Bâton (Ind Flèche) / Graafarm (Ind Giek)		I-BB-1	85 mm		LBH-9158175	6.8m & 7.8m Boom
STICK (Ind BOOM) / Stiel (Ind Ausleger) / Bâton (Ind Flèche) / Graafarm (Ind Giek)		N-N-10		125 mm	LBH-9060977	6.8m & 7.8m Boom
STICK (LR) / Stiel (LR) / Bâton (LR) / Graafarm (LR)		I-BB-1	85 mm		LBH-9060195	
STICK (LR) / Stiel (LR) / Bâton (LR) / Graafarm (LR)		N-N-10		130 mm	LBH-9171671	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R924 Compact						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		I-BB-1	95 mm		LBH-9063136	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		160 mm	LBH-9154141	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	90 mm		LBH-9172119	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		130 mm	LBH-9171671	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		I-BB-1	50 mm		LBH-9061030	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		N-N-10		90 mm	LBH-9061380	
BUCKET / Schaufel / Godet / Bak		I-BB-1	80 mm		LBH-9172118	
BUCKET / Schaufel / Godet / Bak		N-N-10		120 mm	LBH-9172577	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	
STICK / Stiel / Bâton / GraafArm		I-BB-1	95 mm		LBH-9060197	
STICK / Stiel / Bâton / GraafArm		N-N-10		140 mm	LBH-9165363	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	911 Litronic
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	198 Litronic
Model / Modell / Modèle R932 EW, R932 HD-SL						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		I-BB-1	105 mm		LBH-9061003	160mm Bore Cyl
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		160 mm	LBH-9154141	160mm Bore Cyl
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		180 mm	LBH-9169654	180mm Bore Cyl
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	95 mm		LBH-9060197	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		140 mm	LBH-9165363	
BUCKET (1.9m STICK) / Schaufel (1.9m Stick) / Godet (18m Bâton) / Bak (1.9m Stick)		I-BB-1	95 mm		LBH-9060197	
BUCKET (1.9m STICK) / Schaufel (1.9m Stick) / Godet (18m Bâton) / Bak (1.9m Stick)		N-N-10		140 mm	LBH-9165363	
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)		I-BB-1	105 mm		LBH-9158311	

LIEBHERR

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R924 Compact						
STICK (4.0m Hyd Adj BOOM) / Stiel (4.0m Hyd Adj Ausleger) / Bâton (4.0m Hyd Adj Flèche) / Graafarm (4.0m Hyd Adj Giek)		N-N-10		150 mm	LBH-9156782	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R934 B, R934 C, R934 EW, R934 HD-SL						
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	95 mm		LBH-9062534	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		150 mm	LBH-9165440	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Ladebaum Heben (Ind Giek)		I-BB-1	105 mm		LBH-9158311	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Ladebaum Heben (Ind Giek)		N-N-10		150 mm	LBH-9156782	
BUCKET (3.0m STICK) / Schaufel (3.0m Stick) / Godet (3.0m Bâton) / Bak (3.0m Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (3.0m STICK) / Schaufel (3.0m Stick) / Godet (3.0m Bâton) / Bak (3.0m Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (4.8m Ind STICK) / Schaufel (4.8m Ind Stick) / Godet (4.8m Ind Bâton) / Bak (4.8m Ind Stick)		I-BB-1	70 mm		LBH-9062256	
BUCKET (4.8m Ind STICK) / Schaufel (4.8m Ind Stick) / Godet (4.8m Ind Bâton) / Bak (4.8m Ind Stick)		N-N-10		125 mm	LBH-9060977	
BUCKET (5.2m Demolition) / Schaufel (5.2m Demolition) / Godet (5.2m Demolition) / Bak (5.2m Demolition)		I-BB-1	85 mm		LBH-9060195	
BUCKET (5.2m Demolition) / Schaufel (5.2m Demolition) / Godet (5.2m Demolition) / Bak (5.2m Demolition)		N-N-10		130 mm	LBH-9171671	
BUCKET (8.8m, 7.5m LR STICK) / Schaufel (8.8m, 7.5m LR Stick) / Godet (8.8m, 7.5m LR Bâton) / Bak (8.8m, 7.5m LR Stick)		I-BB-1	70 mm		LBH-9172117	
BUCKET (8.8m, 7.5m LR STICK) / Schaufel (8.8m, 7.5m LR Stick) / Godet (8.8m, 7.5m LR Bâton) / Bak (8.8m, 7.5m LR Stick)		N-N-10		100 mm	LBH-9174200	
STICK (10.0m LR) / Stiel (10.0m LR) / Bâton (10.0m LR) / Graafarm (10.0m LR)		I-BB-1	90 mm		LBH-9060196	
STICK (10.0m LR) / Stiel (10.0m LR) / Bâton (10.0m LR) / Graafarm (10.0m LR)		N-N-10		140 mm	LBH-9165363	
STICK (11.5m LR) / Stiel (11.5m LR) / Bâton (11.5m LR) / Graafarm (11.5m LR)		I-BB-1	95 mm		LBH-9060197	
STICK (11.5m LR) / Stiel (11.5m LR) / Bâton (11.5m LR) / Graafarm (11.5m LR)		N-N-10		140 mm	LBH-9165363	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R934 B, R934 C, R934 EW, R934 HD-SL						
STICK (4.0m, 5.2m, 6.2m Hyd Adj BOOM) / Stiel (4.0m, 5.2m, 6.2m Hyd Adj Ausleger) / Bâton (4.0m, 5.2m, 6.2m Hyd Adj Flèche) / Graafarm (4.0m, 5.2m, 6.2m Hyd Adj Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (4.0m, 5.2m, 6.2m Hyd Adj BOOM) / Stiel (4.0m, 5.2m, 6.2m Hyd Adj Ausleger) / Bâton (4.0m, 5.2m, 6.2m Hyd Adj Flèche) / Graafarm (4.0m, 5.2m, 6.2m Hyd Adj Giek)		N-N-10		150 mm	LBH-9165440	
STICK (7.0m Ind BOOM) / Stiel (7.0m Std Ausleger) / Bâton (7.0m Std Flèche) / Graafarm (7.0m Std Giek)		I-BB-1	95 mm		LBH-9060197	
STICK (7.0m Ind BOOM) / Stiel (7.0m Std Ausleger) / Bâton (7.0m Std Flèche) / Graafarm (7.0m Std Giek)		N-N-10		140 mm	LBH-9165363	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		N-N-10		150 mm	LBH-9165440	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R934 C HD-S, R934 C HD-SL						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	110 mm		LBH-9158144	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		N-N-10		180 mm	LBH-9169654	
BOOM LIFT / Auslegerheber / Flèche d' élevateur / Giek Lift		I-BB-1	95 mm		LBH-9062534	
BOOM LIFT / Auslegerheber / Flèche d' élevateur / Giek Lift		N-N-10		150 mm	LBH-9165440	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Lade- baum Heben (Ind Giek)		I-BB-1	100 mm		LBH-9596597	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Lade- baum Heben (Ind Giek)		N-N-10		150 mm	LBH-9165440	
BUCKET (3.1m STICK) / Schaufel (3.1m Stick) / Godet (3.1m Bâton) / Bak (3.1m Stick)		I-BB-1	85 mm		LBH-9060195	
BUCKET (3.1m STICK) / Schaufel (3.1m Stick) / Godet (3.1m Bâton) / Bak (3.1m Stick)		N-N-10		130 mm	LBH-9171671	
BUCKET (3.6m Ind STICK) / Schaufel (3.6m Ind Stick) / Godet (3.6m Ind Bâton) / Bak (3.6m Ind Stick)		I-BB-1	110 mm		LBH-9158144	
BUCKET (3.6m Ind STICK) / Schaufel (3.6m Ind Stick) / Godet (3.6m Ind Bâton) / Bak (3.6m Ind Stick)		N-N-10		170 mm	LBH-9062821	
BUCKET (4.8m Ind STICK) / Schaufel (4.8m Ind Stick) / Godet (4.8m Ind Bâton) / Bak (4.8m Ind Stick)		I-BB-1	70 mm		LBH-9062256	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R934 C HD-S, R934 C HD-SL						
BUCKET (4.8m Ind STICK) / Schaufel (4.8m Ind Stick) / Godet (4.8m Ind Bâton) / Bak (4.8m Ind Stick)		N-N-10		125 mm	LBH-9060977	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	50 mm		LBH-9155154	2400mm 1.15M3 (2x45° Adj)
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	100 mm		LBH-9581868	"2000mm; 2400mm 1.45M3 (2x50° Swiveling)"
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		N-N-10		70 mm	LBH-9119033	2400mm 1.15M3 (2x45° Adj)
CLAM 65 / Muschel 65 / Palourde 65 / Grijper		I-BB-1	50 mm		LBH-9155154	
CLAM 65 / Muschel 65 / Palourde 65 / Grijper		N-N-10		70 mm	LBH-9063464	
STICK (4.2m Hyd Adj BOOM) / Stiel (4.2m Hyd Adj Ausleger) / Bâton (4.2m Hyd Adj Flèche) / Graafarm (4.2m Hyd Adj Giek)		I-BB-1	105 mm		LBH-9061003	
STICK (4.2m Hyd Adj BOOM) / Stiel (4.2m Hyd Adj Ausleger) / Bâton (4.2m Hyd Adj Flèche) / Graafarm (4.2m Hyd Adj Giek)		N-N-10		160 mm	LBH-9154141	
STICK (5.2m Hyd Adj BOOM) / Stiel (5.2m Hyd Adj Ausleger) / Bâton (5.2m Hyd Adj Flèche) / Graafarm (5.2m Hyd Adj Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (5.2m Hyd Adj BOOM) / Stiel (5.2m Hyd Adj Ausleger) / Bâton (5.2m Hyd Adj Flèche) / Graafarm (5.2m Hyd Adj Giek)		N-N-10		150 mm	LBH-9179503	
STICK (Ind BOOM) / Stiel (Ind Ausleger) / Bâton (Ind Flèche) / Graafarm (Ind Giek)		I-BB-1	95 mm		LBH-9060197	
STICK (Ind BOOM) / Stiel (Ind Ausleger) / Bâton (Ind Flèche) / Graafarm (Ind Giek)		N-N-10		140 mm	LBH-9165363	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		N-N-10		150 mm	LBH-9179503	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R942 HD-SL						
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	105 mm		LBH-9158311	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		150 mm	LBH-9156782	
BUCKET (2.1m, 2.6m, 3.3m, 4.1m STICK) / Schaufel (2.1m, 2.6m, 3.3m, 4.1m Stick) / Godet (2.1m, 2.6m, 3.3m, 4.1m Bâton) / Bak (2.1m, 2.6m, 3.3m, 4.1m Stick)		I-BB-1	105 mm		LBH-9158311	
BUCKET (2.1m, 2.6m, 3.3m, 4.1m STICK) / Schaufel (2.1m, 2.6m, 3.3m, 4.1m Stick) / Godet (2.1m, 2.6m, 3.3m, 4.1m Bâton) / Bak (2.1m, 2.6m, 3.3m, 4.1m Stick)		N-N-10		150 mm	LBH-9156782	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R942 HD-SL						
BUCKET (4.8m STICK) / Schaufel (4.8m Stick) / Godet (4.8m Bâton) / Bak (4.8m Stick)		I-BB-1	95 mm		LBH-9060197	
BUCKET (4.8m STICK) / Schaufel (4.8m Stick) / Godet (4.8m Bâton) / Bak (4.8m Stick)		N-N-10		140 mm	LBH-9165363	
STICK (4.5m, 5.5m, 6.0m STICK) / Stiel (4.5m, 5.5m, 6.0m Stick) / Bâton (4.5m, 5.5m, 6.0m Bâton) / Graafarm (4.5m, 5.5m, 6.0m Stick)		N-N-10		160 mm	LBH-9154141	
STICK (6.3m Std BOOM) / Stiel (6.3m Std Ausleger) / Bâton (6.3m Std Flèche) / Graafarm (6.3m Std Giek)		I-BB-1	105 mm		LBH-9061003	
STICK (6.3m Std BOOM) / Stiel (6.3m Std Ausleger) / Bâton (6.3m Std Flèche) / Graafarm (6.3m Std Giek)		N-N-10		160 mm	LBH-9154141	
STICK (7.7m, 9.0m, 10.5m Ind BOOM) / Stiel (7.7m, 9.0m, 10.5m Ind Ausleger) / Bâton (7.7m, 9.0m, 10.5m Ind Flèche) / Graafarm (7.7m, 9.0m, 10.5m Ind Giek)		I-BB-1	105 mm		LBH-9158311	
STICK (7.7m, 9.0m, 10.5m Ind BOOM) / Stiel (7.7m, 9.0m, 10.5m Ind Ausleger) / Bâton (7.7m, 9.0m, 10.5m Ind Flèche) / Graafarm (7.7m, 9.0m, 10.5m Ind Giek)		N-N-10		150 mm	LBH-9156782	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R944 B, R944 C, R944 HD-SL						
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	105 mm		LBH-9061003	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		160 mm	LBH-9154141	
BUCKET (2.1m STICK) / Schaufel (2.1m Stick) / Godet (2.1m Bâton) / Bak (2.1m Stick)		I-BB-1	105 mm		LBH-9061003	
BUCKET (2.1m STICK) / Schaufel (2.1m Stick) / Godet (2.1m Bâton) / Bak (2.1m Stick)		N-N-10		160 mm	LBH-9154141	
BUCKET (2.6m, 3.3m, 4.1m STICK) / Schaufel (2.6m, 3.3m, 4.1m Stick) / Godet (2.6m, 3.3m, 4.1m Bâton) / Bak (2.6m, 3.3m, 4.1m Stick)		I-BB-1	105 mm		LBH-9158311	
BUCKET (2.6m, 3.3m, 4.1m STICK) / Schaufel (2.6m, 3.3m, 4.1m Stick) / Godet (2.6m, 3.3m, 4.1m Bâton) / Bak (2.6m, 3.3m, 4.1m Stick)		N-N-10		150 mm	LBH-9156782	
BUCKET (4.0m STICK) / Schaufel (4.0m Stick) / Godet (4.0m Bâton) / Bak (4.0m Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (4.0m STICK) / Schaufel (4.0m Stick) / Godet (4.0m Bâton) / Bak (4.0m Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (4.1m Curved STICK) / Schaufel (4.1m Curved Stick) / Godet (4.1m Curved Bâton) / Bak (4.1m Curved Stick)		I-BB-1	105 mm		LBH-9158311	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R944 B, R944 C, R944 HD-SL						
BUCKET (4.1m Curved STICK) / Schaufel (4.1m Curved Stick) / Godet (4.1m Curved Bâton) / Bak (4.1m Curved Stick)		N-N-10		150 mm	LBH-9156782	
BUCKET (4.1m STICK) / Schaufel (4.1m Stick) / Godet (4.1m Bâton) / Bak (4.1m Stick)		I-BB-1	105 mm		LBH-9061003	
BUCKET (4.1m STICK) / Schaufel (4.1m Stick) / Godet (4.1m Bâton) / Bak (4.1m Stick)		N-N-10		160 mm	LBH-9154141	
BUCKET (5.5m Curved STICK) / Schaufel (5.5m Curved Stick) / Godet (5.5m Curved Bâton) / Bak (5.5m Curved Stick)		I-BB-1	95 mm		LBH-9060197	
BUCKET (5.5m Curved STICK) / Schaufel (5.5m Curved Stick) / Godet (5.5m Curved Bâton) / Bak (5.5m Curved Stick)		N-N-10		140 mm	LBH-9165363	
STICK (6.3m, 7.5m, 10.4m Std BOOM) / Stiel (6.3m, 7.5m, 10.4m Std Ausleger) / Bâton (6.3m, 7.5m, 10.4m Std Flèche) / Graafarm (6.3m, 7.5m, 10.4m Std Giek)		I-BB-1	110 mm		LBH-9063688	
STICK (6.3m, 7.5m, 10.4m Std BOOM) / Stiel (6.3m, 7.5m, 10.4m Std Ausleger) / Bâton (6.3m, 7.5m, 10.4m Std Flèche) / Graafarm (6.3m, 7.5m, 10.4m Std Giek)		N-N-10		160 mm	LBH-9154141	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9144401	
Model / Modell / Modèle R954 B, R954 C, R954 HD						
BOOM LIFT (FS BUCKET) / Auslegerheber (FS Bucket) / Flèche (FS Bucket) / Kraanarm hef		I-BB-1	125 mm		LBH-9062985	
BOOM LIFT (FS BUCKET) / Auslegerheber (FS Bucket) / Flèche (FS Bucket) / Kraanarm hef		N-N-10		180 mm	LBH-9062632	
BOOM LIFT (Std) / Auslegerheber (Std) / Flèche (Std) / Ladebaum Heben (Std)		I-BB-1	110 mm		LBH-9158144	
BOOM LIFT (Std) / Auslegerheber (Std) / Flèche (Std) / Ladebaum Heben (Std)		N-N-10		180 mm	LBH-9062632	
BUCKET / Schaufel / Godet / Bak		I-BB-1	105 mm		LBH-9158311	
BUCKET (2.35m STICK) / Schaufel (2.35m Stick) / Godet (2.35m Bâton) / Bak (2.35m Stick)		I-BB-1	110 mm		LBH-9158144	
BUCKET (2.35m STICK) / Schaufel (2.35m Stick) / Godet (2.35m Bâton) / Bak (2.35m Stick)		N-N-10		180 mm	LBH-9062632	
BUCKET (2.9m STICK) / Schaufel (2.9m Stick) / Godet (2.9m Bâton) / Bak (2.9m Stick)		I-BB-1	110 mm		LBH-9158144	
BUCKET (2.9m STICK) / Schaufel (2.9m Stick) / Godet (2.9m Bâton) / Bak (2.9m Stick)		N-N-10		170 mm	LBH-9169653	
BUCKET (Demolition) / Schaufel (Abbruch) / Godet (Démolition) / Bak (Afbreken)		I-BB-1	95 mm		LBH-9060197	
BUCKET (Demolition) / Schaufel (Abbruch) / Godet (Démolition) / Bak (Afbreken)		N-N-10		140 mm	LBH-9165363	

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R954 B, R954 C, R954 HD						
STICK (10.3m STICK) / Stiel (10.3m Stick) / Bâton (10.3m Bâton) / Graafarm (10.3m Stick)		N-N-10		170 mm	LBH-9062821	
STICK (6.7m Std BOOM) / Stiel (6.7m Std Ausleger) / Bâton (6.7m Std Flèche) / Graafarm (6.7m Std Giek)		I-BB-1	125 mm		LBH-9062985	
STICK (6.7m Std BOOM) / Stiel (6.7m Std Ausleger) / Bâton (6.7m Std Flèche) / Graafarm (6.7m Std Giek)		N-N-10		180 mm	LBH-9062632	
STICK (7.0m Ind BOOM) / Stiel (7.0m Std Ausleger) / Bâton (7.0m Std Flèche) / Graafarm (7.0m Std Giek)		I-BB-1	125 mm		LBH-9064091	
STICK (8.8m, 11.3m Ind BOOM) / Stiel (8.8m, 11.3m Ind Ausleger) / Bâton (8.8m, 11.3m Ind Flèche) / Graafarm (8.8m, 11.3m Ind Giek)		I-BB-1	110 mm		LBH-9063688	
STICK (8.8m, 11.3m Ind BOOM) / Stiel (8.8m, 11.3m Ind Ausleger) / Bâton (8.8m, 11.3m Ind Flèche) / Graafarm (8.8m, 11.3m Ind Giek)		N-N-10		160 mm	LBH-9154141	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		I-BB-1	125 mm		LBH-9062985	
STICK (Std BOOM) / Stiel (Std Ausleger) / Bâton (Std Flèche) / Graafarm (Std Giek)		N-N-10		180 mm	LBH-9062632	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	130 mm		LBH-9265064	
Model / Modell / Modèle R964 C						
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	125 mm		LBH-9062985	1x6.3mm & 1x8.1mm wide rod seals
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	125 mm		LBH-9158145	2x6.3mm wide rod seals
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		180 mm	LBH-9169654	
BUCKET (2.6m STICK) / Schaufel (2.6m Stick) / Godet (2.6m Bâton) / Bak (2.6m Stick)		I-BB-1	125 mm		LBH-9062985	1x6.3mm & 1x8.1mm wide rod seals
BUCKET (2.6m STICK) / Schaufel (2.6m Stick) / Godet (2.6m Bâton) / Bak (2.6m Stick)		I-BB-1	125 mm		LBH-9158145	2x6.3mm wide rod seals
BUCKET (2.6m STICK) / Schaufel (2.6m Stick) / Godet (2.6m Bâton) / Bak (2.6m Stick)		N-N-10		180 mm	LBH-9062632	
BUCKET (3.4m STICK) / Schaufel (3.4m Stick) / Godet (3.4m Bâton) / Bak (3.4m Stick)		I-BB-1	110 mm		LBH-9158144	
BUCKET (3.4m STICK) / Schaufel (3.4m Stick) / Godet (3.4m Bâton) / Bak (3.4m Stick)		I-BB-1	125 mm		LBH-9158145	2x6.3mm wide rod seals
BUCKET (3.4m STICK) / Schaufel (3.4m Stick) / Godet (3.4m Bâton) / Bak (3.4m Stick)		N-N-10		180 mm	LBH-9062632	

LIEBHERR

LIEBHERR

Replacement Kits For

Excavators / Bagger / Pelles / Graafmachines

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle R964 C						
BUCKET (4.2m STICK) / Schaufel (4.2m Stick) / Godet (4.2m Bâton) / Bak (4.2m Stick)		I-BB-1	125 mm		LBH-9062985	
BUCKET (4.2m STICK) / Schaufel (4.2m Stick) / Godet (4.2m Bâton) / Bak (4.2m Stick)		N-N-10		180 mm	LBH-9062632	
BUCKET (5.0m STICK) / Schaufel (5.0m Stick) / Godet (5.0m Bâton) / Bak (5.0m Stick)		I-BB-1	110 mm		LBH-9158144	
BUCKET (5.0m STICK) / Schaufel (5.0m Stick) / Godet (5.0m Bâton) / Bak (5.0m Stick)		N-N-10		170 mm	LBH-9062821	
STICK (7.0m, 8.2m, 10m Std BOOM) / Stiel (7.0m, 8.2m, 10m Std Ausleger) / Bâton (7.0m, 8.2m, 10m Std Flèche) / Graafarm (7.0m, 8.2m, 10m Std Giek)		I-BB-1	140 mm		LBH-9061471	2x6.3mm wide rod seals
STICK (7.0m, 8.2m, 10m Std BOOM) / Stiel (7.0m, 8.2m, 10m Std Ausleger) / Bâton (7.0m, 8.2m, 10m Std Flèche) / Graafarm (7.0m, 8.2m, 10m Std Giek)		I-BB-1	140 mm		LBH-9062984	1x6.3mm & 1x8.1mm wide rod seals
STICK (7.0m, 8.2m, 10m Std BOOM) / Stiel (7.0m, 8.2m, 10m Std Ausleger) / Bâton (7.0m, 8.2m, 10m Std Flèche) / Graafarm (7.0m, 8.2m, 10m Std Giek)		N-N-10		210 mm	LBH-9159705	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	130 mm		LBH-9265064	

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A309 LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	70 mm		LBH-9062256	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		N-N-10		125 mm	LBH-9060977	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	70 mm		LBH-9583532	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		115 mm	LBH-9113343	
BUCKET / Schaufel / Godet / Bak		I-BB-1	50 mm		LBH-9063554	
BUCKET / Schaufel / Godet / Bak		N-N-10		80 mm	LBH-9062172	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	36 mm		LBH-9063270	1300mm
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	80 mm		LBH-9592551	1500mm & 1700mm
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		N-N-10		70 mm	LBH-9155949	1300mm

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A309 LI						
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oscillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9158310	
STABILIZERS / Stabilisator / Stabilisateur / Stabilizator		I-BB-1	50 mm		LBH-9159738	
STABILIZERS / Stabilisator / Stabilisateur / Stabilizator		N-N-10		110 mm	LBH-9063452	
STICK / Stiel / Bâton / GraafArm		I-BB-1	60 mm		LBH-9061404	
STICK / Stiel / Bâton / GraafArm		N-N-10		90 mm	LBH-9061380	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	
Model / Modell / Modèle A311 LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		I-BB-1	70 mm		LBH-9062256	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		125 mm	LBH-9060977	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	70 mm		LBH-9062256	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		125 mm	LBH-9060977	
BUCKET / Schaufel / Godet / Bak		I-BB-1	60 mm		LBH-9061404	
BUCKET / Schaufel / Godet / Bak		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	36 mm		LBH-9063270	1500mm 0,33M3
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	50 mm		LBH-9155154	1700mm 0,37M3
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	80 mm		LBH-9592551	"1200mm; 1500mm 0,36M3; 1700mm 0,41M3"
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		N-N-10		70 mm	LBH-9119033	1700mm 0,37M3
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		N-N-10		70 mm	LBH-9155949	1500mm 0,33M3
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	50 mm		LBH-9159738	2550mm
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		110 mm	LBH-9063452	2550mm
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oscillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9158310	
STABILIZERS / Stabilisator / Stabilisateur / Stabilizator		I-BB-1	50 mm		LBH-9159738	
STABILIZERS / Stabilisator / Stabilisateur / Stabilizator		N-N-10		110 mm	LBH-9063452	
STICK / Stiel / Bâton / GraafArm		I-BB-1	70 mm		LBH-9172117	

LIEBHERR

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A311 LI						
STICK / Stiel / Bâton / GraafArm		N-N-10		100 mm	LBH-9174200	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	
Model / Modell / Modèle A312 LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	80 mm		LBH-9063173	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		N-N-10		140 mm	LBH-9165363	
BOOM LIFT / Auslegerheber / Flèche d' élévateur / Giek Lift		I-BB-1	70 mm		LBH-9172117	
BOOM LIFT / Auslegerheber / Flèche d' élévateur / Giek Lift		N-N-10		100 mm	LBH-9174200	
BUCKET / Schaufel / Godet / Bak		I-BB-1	60 mm		LBH-9061404	
BUCKET / Schaufel / Godet / Bak		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	80 mm		LBH-9592551	1200mm
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	"1500mm; 1600mm; 2000mm"
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	50 mm		LBH-9061030	90mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	60 mm		LBH-9063449	110mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		90 mm	LBH-9061380	90mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		110 mm	LBH-9063452	110mm Bore Cyl
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oxillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9158310	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		I-BB-1	70 mm		LBH-9193515	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		N-N-10		120 mm	LBH-9172577	
STICK / Stiel / Bâton / GraafArm		I-BB-1	75 mm		LBH-9064496	
STICK / Stiel / Bâton / GraafArm		N-N-10		110 mm	LBH-9159131	
SWING / Schaukel / Basculeur / Zwenk		I-BB-1	50 mm		LBH-9061030	
SWING / Schaukel / Basculeur / Zwenk		N-N-10		90 mm	LBH-9061380	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	
Model / Modell / Modèle A314 LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	80 mm		LBH-9063173	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		N-N-10		140 mm	LBH-9165363	

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A314 LI						
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	70 mm		LBH-9063172	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		110 mm	LBH-9159131	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		I-BB-1	50 mm		LBH-9061030	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		N-N-10		90 mm	LBH-9061380	
BUCKET / Schaufel / Godet / Bak		I-BB-1	60 mm		LBH-9061404	
BUCKET / Schaufel / Godet / Bak		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	50 mm		LBH-9061030	90mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	60 mm		LBH-9063449	110mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		90 mm	LBH-9061380	90mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		110 mm	LBH-9063452	110mm Bore Cyl
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oscillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9063709	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		I-BB-1	70 mm		LBH-9193515	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		N-N-10		120 mm	LBH-9172577	
STICK / Stiel / Bâton / GraafArm		I-BB-1	75 mm		LBH-9064577	
STICK / Stiel / Bâton / GraafArm		N-N-10		115 mm	LBH-9113343	
STICK (3.2m BOOM) / Stiel (3.2m Ausleger) / Bâton (3.2m Flèche) / Graafarm (3.2m Giek)		I-BB-1	70 mm		LBH-9063172	-1997
STICK (3.2m BOOM) / Stiel (3.2m Ausleger) / Bâton (3.2m Flèche) / Graafarm (3.2m Giek)		I-BB-1	75 mm		LBH-9064577	2001-
STICK (3.2m BOOM) / Stiel (3.2m Ausleger) / Bâton (3.2m Flèche) / Graafarm (3.2m Giek)		N-N-10		115 mm	LBH-9113343	2001-
STICK (3.2m BOOM) / Stiel (3.2m Ausleger) / Bâton (3.2m Flèche) / Graafarm (3.2m Giek)		N-N-10		110 mm	LBH-9159131	-1997
STICK (4.3m Std, Lat Adj BOOM) / Stiel (4.3m Std, Lat Adj Ausleger) / Bâton (4.3m Std, Lat Adj Flèche) / Graafarm (4.3m Std, Lat Adj Giek)	-28989	I-BB-1	75 mm		LBH-9064577	s/n -28989
STICK (4.3m Std, Lat Adj BOOM) / Stiel (4.3m Std, Lat Adj Ausleger) / Bâton (4.3m Std, Lat Adj Flèche) / Graafarm (4.3m Std, Lat Adj Giek)	-28989	N-N-10		115 mm	LBH-9113343	s/n -28989

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A314 LI						
STICK (4.5m Std BOOM) / Stiel (4.5m Std Ausleger) / Bâton (4.5m Std Flèche) / Graafarm (4.5m Std Giek)		I-BB-1	70 mm		LBH-9063172	
STICK (4.5m Std BOOM) / Stiel (4.5m Std Ausleger) / Bâton (4.5m Std Flèche) / Graafarm (4.5m Std Giek)		I-BB-1	75 mm		LBH-9064577	2001-
STICK (4.5m Std BOOM) / Stiel (4.5m Std Ausleger) / Bâton (4.5m Std Flèche) / Graafarm (4.5m Std Giek)		N-N-10		115 mm	LBH-9113343	2001-
STICK (4.5m Std BOOM) / Stiel (4.5m Std Ausleger) / Bâton (4.5m Std Flèche) / Graafarm (4.5m Std Giek)		N-N-10		110 mm	LBH-9159131	
STICK (4.9m Std BOOM, Lat Adj) / Stiel (4.9m Std Ausleger, Lat Adj) / Bâton (4.9m Std Flèche, Lat Adj) / Graafarm (4.9m Std Giek, Lat Adj)		I-BB-1	75 mm		LBH-9064577	
STICK (4.9m Std BOOM, Lat Adj) / Stiel (4.9m Std Ausleger, Lat Adj) / Bâton (4.9m Std Flèche, Lat Adj) / Graafarm (4.9m Std Giek, Lat Adj)		N-N-10		115 mm	LBH-9113343	
STICK (5.0m Std BOOM) / Stiel (5.0m Std Ausleger) / Bâton (5.0m Std Flèche) / Graafarm (5.0m Std Giek)		I-BB-1	75 mm		LBH-9064577	
STICK (5.0m Std BOOM) / Stiel (5.0m Std Ausleger) / Bâton (5.0m Std Flèche) / Graafarm (5.0m Std Giek)		N-N-10		115 mm	LBH-9113343	
SWIVEL BUCKET 1500mm / Drehen Schaufel 1500mm / Pivot godet 1500mm / Draaischijf Bak 1500mm		I-BB-1	90 mm		LBH-9967796	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	
Model / Modell / Modèle A316 LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	80 mm		LBH-9063173	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		N-N-10		140 mm	LBH-9165363	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		I-BB-1	70 mm		LBH-9172122	
BOOM LIFT / Auslegerheber / Flèche d'élévateur / Giek Lift		N-N-10		120 mm	LBH-9172577	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		I-BB-1	50 mm		LBH-9061030	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		N-N-10		90 mm	LBH-9061380	
BUCKET / Schaufel / Godet / Bak		I-BB-1	70 mm		LBH-9172117	
BUCKET / Schaufel / Godet / Bak		N-N-10		100 mm	LBH-9174200	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A316 LI						
CAB ELEVATION / Droschke Hebung / Cabine d'élévation / Kantel cabine		I-BB-1	50 mm		LBH-9063554	
CAB ELEVATION / Droschke Hebung / Cabine d'élévation / Kantel cabine		N-N-10		80 mm	LBH-9061383	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	50 mm		LBH-9061030	90mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	60 mm		LBH-9063449	110mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	60 mm		LBH-9174143	100mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		90 mm	LBH-9061380	90mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		110 mm	LBH-9063452	110mm Bore Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		100 mm	LBH-9174142	100mm Bore Cyl
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oscillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9063709	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		I-BB-1	70 mm		LBH-9193515	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		N-N-10		120 mm	LBH-9172577	
STICK / Stiel / Bâton / GraafArm		I-BB-1	80 mm		LBH-9172118	
STICK / Stiel / Bâton / GraafArm		N-N-10		120 mm	LBH-9172577	
STICK (4.6m Ind BOOM) / Stiel (4.6m Ind Ausleger) / Bâton (4.6m Ind Flèche) / Graafarm (4.6m Ind Giek)		I-BB-1	70 mm		LBH-9063172	
STICK (4.6m Ind BOOM) / Stiel (4.6m Ind Ausleger) / Bâton (4.6m Ind Flèche) / Graafarm (4.6m Ind Giek)		N-N-10		110 mm	LBH-9159131	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	
Model / Modell / Modèle A900 C-LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		I-BB-1	80 mm		LBH-9063173	
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		140 mm	LBH-9165363	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		I-BB-1	85 mm		LBH-9158175	
BOOM LIFT / Auslegerheber / Flèche d'élèveur / Giek Lift		N-N-10		125 mm	LBH-9060977	
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		I-BB-1	50 mm		LBH-9061030	90mm Bore Cyl
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		I-BB-1	50 mm		LBH-9062932	100mm Bore Cyl
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Abstand		N-N-10		90 mm	LBH-9061380	90mm Bore Cyl

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A900 C-LI						
BOOM OFFSET / Ausleger Kröpfung / Flèche compensateur / Giek Afstand		N-N-10		100 mm	LBH-9156042	100mm Bore Cyl
BUCKET (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S) / Schaufel (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S) / Godet (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S) / Bak (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S)		I-BB-1	70 mm		LBH-9951829	
BUCKET (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S) / Schaufel (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S) / Godet (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S) / Bak (2.05m, 2.25m, 2.45m, 2.65m, 3.05m, 3.65m S)		N-N-10		105 mm	LBH-9951831	
BUCKET (2.65m, 3.05m STICK) / Schaufel (2.65m, 3.05m Stick) / Godet (2.65m, 3.05m Bâton) / Bak (2.65m, 3.05m Stick)		I-BB-1	70 mm		LBH-9172117	
BUCKET (2.65m, 3.05m STICK) / Schaufel (2.65m, 3.05m Stick) / Godet (2.65m, 3.05m Bâton) / Bak (2.65m, 3.05m Stick)		N-N-10		100 mm	LBH-9174200	
BUCKET (5.2m STICK) / Schaufel (5.2m Stick) / Godet (5.2m Bâton) / Bak (5.2m Stick)		I-BB-1	60 mm		LBH-9061404	
BUCKET (5.2m STICK) / Schaufel (5.2m Stick) / Godet (5.2m Bâton) / Bak (5.2m Stick)		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	50 mm		LBH-9061030	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		90 mm	LBH-9061380	
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oxillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9063709	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		I-BB-1	70 mm		LBH-9193515	
STABILIZERS / Stabilisator / Stabilisateur / Stabilisator		N-N-10		120 mm	LBH-9172577	
STICK / Stiel / Bâton / GraafArm		I-BB-1	85 mm		LBH-9060195	
STICK / Stiel / Bâton / GraafArm		N-N-10		130 mm	LBH-9171671	
SWIVEL BUCKET / Drehen Schaufel / Pivot godet / Draaischijf Bak		I-BB-1	90 mm		LBH-9967796	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	
Model / Modell / Modèle A904 C-LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	90 mm		LBH-9060196	for Deep Hole
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstelbare giek		I-BB-1	80 mm		LBH-9063173	

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A904 C-LI						
BOOM Adj (Hyd Adj) / Ausleger Adj (Hyd Adj) / Flèche Adj (Hyd Adj) / Hydraulisch verstellbare giek		N-N-10		140 mm	LBH-9165363	for Deep Hole
BOOM LIFT (Hyd Adj) / Auslegerheber (Hyd Adj) / Flèche (Hyd Adj) / Hydraulisch verstellbare kraanarm		I-BB-1	85 mm		LBH-9285625	
BOOM LIFT (Hyd Adj) / Auslegerheber (Hyd Adj) / Flèche (Hyd Adj) / Hydraulisch verstellbare kraanarm		N-N-10		135 mm	LBH-9285577	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Ladebaum Heben (Ind Giek)		I-BB-1	85 mm		LBH-9060195	
BOOM LIFT (Ind BOOM) / Auslegerheber (Ind Ausleger) / Flèche (Ind Flèche) / Ladebaum Heben (Ind Giek)		N-N-10		130 mm	LBH-9171671	
BOOM LIFT (Std BOOM) / Auslegerheber (Std Ausleger) / Flèche (Std Flèche) / Ladebaum Heben (Std Giek)		I-BB-1	85 mm		LBH-9285625	
BOOM LIFT (Std BOOM) / Auslegerheber (Std Ausleger) / Flèche (Std Flèche) / Ladebaum Heben (Std Giek)		N-N-10		135 mm	LBH-9285577	
BUCKET (2.25m, 2.45m, 2.65m, 3.05m, 4.25m STICK) / Schaufel (2.25m, 2.45m, 2.65m, 3.05m, 4.25m Stick) / Godet (2.25m, 2.45m, 2.65m, 3.05m, 4.25m Bâton) / Bak (2.25m, 2.45m, 2.65m, 3.05m, 4.25m Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (2.25m, 2.45m, 2.65m, 3.05m, 4.25m STICK) / Schaufel (2.25m, 2.45m, 2.65m, 3.05m, 4.25m Stick) / Godet (2.25m, 2.45m, 2.65m, 3.05m, 4.25m Bâton) / Bak (2.25m, 2.45m, 2.65m, 3.05m, 4.25m Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (3.5m, 4.5m Ind STICK) / Schaufel (3.5m, 4.5m Ind Stick) / Godet (3.5m, 4.5m Ind Bâton) / Bak (3.5m, 4.5m Ind Stick)		I-BB-1	80 mm		LBH-9172118	
BUCKET (3.5m, 4.5m Ind STICK) / Schaufel (3.5m, 4.5m Ind Stick) / Godet (3.5m, 4.5m Ind Bâton) / Bak (3.5m, 4.5m Ind Stick)		N-N-10		120 mm	LBH-9172577	
BUCKET (4.3m Ind STICK) / Schaufel (4.3m Ind Stick) / Godet (4.3m Ind Bâton) / Bak (4.3m Ind Stick)		I-BB-1	70 mm		LBH-9062256	
BUCKET (4.3m Ind STICK) / Schaufel (4.3m Ind Stick) / Godet (4.3m Ind Bâton) / Bak (4.3m Ind Stick)		N-N-10		125 mm	LBH-9060977	
BUCKET (4.6m LR STICK) / Schaufel (4.6m LR Stick) / Godet (4.6m LR Bâton) / Bak (4.6m LR Stick)		I-BB-1	60 mm		LBH-9061404	
BUCKET (4.6m LR STICK) / Schaufel (4.6m LR Stick) / Godet (4.6m LR Bâton) / Bak (4.6m LR Stick)		N-N-10		90 mm	LBH-9061380	

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A904 C-LI						
BUCKET (5.0m STICK) / Schaufel (5.0m Stick) / Godet (5.0m Bâton) / Bak (5.0m Stick)		I-BB-1	60 mm		LBH-9061404	
BUCKET (5.0m STICK) / Schaufel (5.0m Stick) / Godet (5.0m Bâton) / Bak (5.0m Stick)		N-N-10		90 mm	LBH-9061380	
BUCKET (Ditch Clean) / Schaufel (Kanal Schoon) / Godet (Fossé Propre) / Bak (Sloot Reinigen)		I-BB-1	90 mm		LBH-9967796	
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	60 mm		LBH-9063449	Prop Up 2550mm
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	50 mm		LBH-9158084	"Front Dual Cyl; Prop Up 2550mm, 2750mm"
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		I-BB-1	60 mm		LBH-9174143	Front Single Cyl
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		110 mm	LBH-9063452	Prop Up 2550mm
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		100 mm	LBH-9156042	"Front Dual Cyl; Prop Up 2550mm, 2750mm"
DOZER BLADE / Vorderschar / Bulldozer lame / Grondschaaf		N-N-10		100 mm	LBH-9174142	Front Single Cyl
Oscillating Axle Stabilizer / Schwingend Achse Ausgleicher / Stabilisateur de l'axe oscillante / Oscillerende As Stabilizator		I-BB-1	85 mm		LBH-9063709	
STABILIZERS / Stabilisator / Stabilisateur / Stabilizator		I-BB-1	70 mm		LBH-9193515	
STABILIZERS / Stabilisator / Stabilisateur / Stabilizator		N-N-10		120 mm	LBH-9172577	
STICK / Stiel / Bâton / GraafArm		I-BB-1	85 mm		LBH-9060195	
STICK / Stiel / Bâton / GraafArm		N-N-10		130 mm	LBH-9171671	
STICK (4.6m, 6.8m LR STICK) / Stiel (4.6m, 6.8m LR Stick) / Bâton (4.6m, 6.8m LR Bâton) / Graafarm (4.6m, 6.8m LR Stick)		I-BB-1	70 mm		LBH-9583532	
STICK (4.6m, 6.8m LR STICK) / Stiel (4.6m, 6.8m LR Stick) / Bâton (4.6m, 6.8m LR Bâton) / Graafarm (4.6m, 6.8m LR Stick)		N-N-10		115 mm	LBH-9113343	
STICK (5.2m Std BOOM, Lat Adj) / Stiel (5.2m Std Ausleger, Lat Adj) / Bâton (5.2m Std Flèche, Lat Adj) / Graafarm (5.2m Std Giek, Lat Adj)		I-BB-1	85 mm		LBH-9060195	
STICK (5.2m Std BOOM, Lat Adj) / Stiel (5.2m Std Ausleger, Lat Adj) / Bâton (5.2m Std Flèche, Lat Adj) / Graafarm (5.2m Std Giek, Lat Adj)		N-N-10		130 mm	LBH-9171671	
STICK (5.3m, 7.4m, 5.6m Std BOOM) / Stiel (5.3m, 7.4m, 5.6m Std Ausleger) / Bâton (5.3m, 7.4m, 5.6m Std Flèche) / Graafarm (5.3m, 7.4m, 5.6m Std Giek)		I-BB-1	85 mm		LBH-9060195	

LIEBHERR

Replacement Kits For

Wheeled Excavators / Mobilbagger / Pelles sur pneus / Graafmachines op wielen

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle A904 C-LI						
STICK (5.3m, 7.4m, 5.6m Std BOOM) / Stiel (5.3m, 7.4m, 5.6m Std Ausleger) / Bâton (5.3m, 7.4m, 5.6m Std Flèche) / Graafarm (5.3m, 7.4m, 5.6m Std Giek)		N-N-10		130 mm	LBH-9171671	
STICK (5.5m BOOM Low-Curved) / Stiel (5.5m Ausleger Low-Curved) / Bâton (5.5m Flèche Low-Curved) / Graafarm (5.5m Giek Low-Curved)		I-BB-1	85 mm		LBH-9060195	
STICK (5.5m BOOM Low-Curved) / Stiel (5.5m Ausleger Low-Curved) / Bâton (5.5m Flèche Low-Curved) / Graafarm (5.5m Giek Low-Curved)		N-N-10		130 mm	LBH-9171671	
STICK (6.0m Ind BOOM-Angled) / Stiel (6.0m Ind Ausleger-Angled) / Bâton (6.0m Ind Flèche-Angled) / Graafarm (6.0m Ind Giek-Angled)		I-BB-1	80 mm		LBH-9172118	
STICK (6.0m Ind BOOM-Angled) / Stiel (6.0m Ind Ausleger-Angled) / Bâton (6.0m Ind Flèche-Angled) / Graafarm (6.0m Ind Giek-Angled)		N-N-10		120 mm	LBH-9172577	
STICK (6.1m, 6.6m, 7.0m, 7.1m Ind BOOM) / Stiel (6.1m, 6.6m, 7.0m, 7.1m Ind Ausleger) / Bâton (6.1m, 6.6m, 7.0m, 7.1m Ind Flèche) / Graafarm (6.1m, 6.6m, 7.0m, 7.1m Ind Giek)		I-BB-1	80 mm		LBH-9172118	
STICK (6.1m, 6.6m, 7.0m, 7.1m Ind BOOM) / Stiel (6.1m, 6.6m, 7.0m, 7.1m Ind Ausleger) / Bâton (6.1m, 6.6m, 7.0m, 7.1m Ind Flèche) / Graafarm (6.1m, 6.6m, 7.0m, 7.1m Ind Giek)		N-N-10		120 mm	LBH-9172577	
SWING / Schaukel / Basculeur / Zwenk		I-BB-1	60 mm		LBH-9159680	
SWING / Schaukel / Basculeur / Zwenk		N-N-10		120 mm	LBH-9111605	
SWIVEL BUCKET / Drehen Schaufel / Pivot godet / Draaischijf Bak		I-BB-1	90 mm		LBH-9967796	
SWIVEL Rotary / Drehen Kreisel / Pivot rotateur / Draaischijf		I-SP-1	95 mm		LBH-9265132	

Wheel Loaders / Radlader / Chargeuse sur pneus / Wielladers

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle L506 Stereo						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	40 mm		LBH-9063465	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		80 mm	LBH-9061383	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	40 mm		LBH-9063465	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		80 mm	LBH-9061383	
STEERING / Lenkung / Direction / Stu- urinrichtung	-99998	I-BB-1	30 mm		LBH-9063423	s/n -99998

LIEBHERR

Replacement Kits For

Wheel Loaders / Radlader / Chargeuse sur pneus / Wielladers

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle L506 Stereo						
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	N-N-10		70 mm	LBH-9064914	s/n -99998
Model / Modell / Modèle L507 Stereo						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift	-99998	I-BB-1	40 mm		LBH-9063465	s/n -99998
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift	-99998	N-N-10		80 mm	LBH-9061383	s/n -99998
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	40 mm		LBH-9063465	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		80 mm	LBH-9061383	
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	I-BB-1	30 mm		LBH-9063423	s/n -99998
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	N-N-10		70 mm	LBH-9064914	s/n -99998
Model / Modell / Modèle L508 Stereo						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	50 mm		LBH-9063162	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		100 mm	LBH-9156042	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	50 mm		LBH-9063162	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		100 mm	LBH-9156042	
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	I-BB-1	30 mm		LBH-9063423	s/n -99998
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	N-N-10		70 mm	LBH-9064914	s/n -99998
Model / Modell / Modèle L509 Stereo						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift	-99998	I-BB-1	50 mm		LBH-9063162	s/n -99998
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift	-99998	N-N-10		100 mm	LBH-9156042	s/n -99998
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper	-99998	I-BB-1	50 mm		LBH-9063162	s/n -99998
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper	-99998	N-N-10		100 mm	LBH-9156042	s/n -99998
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	I-BB-1	30 mm		LBH-9063423	s/n -99998
STEERING / Lenkung / Direction / Stur- urinrichtung	-99998	N-N-10		70 mm	LBH-9064914	s/n -99998
Model / Modell / Modèle L538, L538 (Z-bar)						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	60 mm		LBH-9177617	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		110 mm	LBH-9159131	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	50 mm		LBH-9061030	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		90 mm	LBH-9061380	

LIEBHERR

Replacement Kits For

Wheel Loaders / Radlader / Chargeuse sur pneus / Wielladers

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
Model / Modell / Modèle L538, L538 (Z-bar)						
STEERING / Lenkung / Direction / Stuurinrichting		I-BB-1	40 mm		LBH-9061381	
STEERING / Lenkung / Direction / Stuurinrichting		N-N-10		90 mm	LBH-9063712	
Model / Modell / Modèle L544						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	80 mm		LBH-9063757	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		130 mm	LBH-9111341	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	80 mm		LBH-9063173	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		150 mm	LBH-9113131	
STEERING / Lenkung / Direction / Stuurinrichting		I-BB-1	40 mm		LBH-9063465	
STEERING / Lenkung / Direction / Stuurinrichting		N-N-10		80 mm	LBH-9061383	
Model / Modell / Modèle L556 2plus2, L556 2plus2 High Lift						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	80 mm		LBH-9063757	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		130 mm	LBH-9111341	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	80 mm		LBH-9063173	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		150 mm	LBH-9113131	
STEERING / Lenkung / Direction / Stuurinrichting		I-BB-1	40 mm		LBH-9063465	
STEERING / Lenkung / Direction / Stuurinrichting		N-N-10		80 mm	LBH-9061383	
Model / Modell / Modèle L564						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	80 mm		LBH-9196096	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		150 mm	LBH-9113131	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	90 mm		LBH-9158397	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		170 mm	LBH-9062821	
STEERING / Lenkung / Direction / Stuurinrichting		I-BB-1	40 mm		LBH-9061381	
STEERING / Lenkung / Direction / Stuurinrichting		N-N-10		90 mm	LBH-9063712	
Model / Modell / Modèle L566 2plus2, L566 2plus2 High Lift						
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		I-BB-1	80 mm		LBH-9196096	
LOADER LIFT / Laderhebevorrichtung / Chargeuse élévateur / Lader Lift		N-N-10		150 mm	LBH-9113131	
LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		I-BB-1	90 mm		LBH-9158397	

LIEBHERR

Replacement Kits For

Wheel Loaders / Radlader / Chargeuse sur pneus / Wielladers

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
---	--	-------------------	--------------------------------	-----------------------------------	-----------------------------------	-------

Model / Modell / Modèle L566 2plus2, L566 2plus2 High Lift

LOADER TILT / Ladevorrichtungs-Neigung / Chargeuse d'inclinaison / Laadbak-kieper		N-N-10		170 mm	LBH-9062821	
STEERING / Lenkung / Direction / Stu- urinrichtung		I-BB-1	40 mm		LBH-9061381	
STEERING / Lenkung / Direction / Stu- urinrichtung		N-N-10		90 mm	LBH-9063712	

Off-Highway Trucks / Muldenkipper / Tombereaux de Chantier / Starre Dumptrucks

APPLICATION ANWENDUNG APPLICATION TOEPASSING	SERIAL # SERIAL # SERIE # SERIE #	CODE (Pg. XIV)	ROD STANGE TIGE STANG	BORE ROHR ALESAGE BORING	KIT # SATZ # KIT # SET #	MISC.
---	--	-------------------	--------------------------------	-----------------------------------	-----------------------------------	-------

Model / Modell / Modèle KL2420

STEERING / Lenkung / Direction / Stu- urinrichtung		P-U-10	2-3/4	5-1/2	LBH- 13029-C-1	Cyl 13029-D
---	--	--------	-------	-------	-------------------	-------------

REPLACEMENT KITS FOR LIEBHERR / WIEDEREINBAUINSTALLATIONSSÄTZE FÜR LIEBHERR / KITS DE REMPLACEMENT POUR LIEBHERR / VERVANGSET VOOR LIEBHERR

Kit Number	Code (Pg. XIV)	Rod X Bore Size
LBH-13029-C-1	P-U-10	2-3/4 X 5-1/2
LBH-5708-876-08	N-N-15	160 mm Piston
LBH-9060195	I-SP-1	85 mm Rod Kit
LBH-9060196	I-SP-1	90 mm Rod Kit
LBH-9060197	I-SP-1	95 mm Rod Kit
LBH-9060977	N-N-10	125 mm Piston Kit
LBH-9061003	I-SP-1	105 mm Rod Kit
LBH-9061030	I-BB-1	50 mm Rod Kit
LBH-9061380	N-N-10	90 mm Piston Kit
LBH-9061381	I-BB-1	40 mm Rod Kit
LBH-9061383	N-N-10	80 mm Piston Kit
LBH-9061404	I-BB-1	60 mm Rod Kit
LBH-9061471		Seal Kit
LBH-9062172	N-N-10	80 mm Piston Kit
LBH-9062256	I-BB-1	70 mm Rod Kit
LBH-9062534	I-BB-1	95 mm Rod Kit
LBH-9062632	N-N-10	180 mm Piston Kit
LBH-9062821	N-N-10	170 mm Piston Kit
LBH-9062932	I-BB-1	50 mm Rod Kit
LBH-9062984		Seal Kit
LBH-9062985	I-BB-1	125 mm Rod Kit
LBH-9063136	I-BB-1	95 mm Rod Kit
LBH-9063162	I-BB-1	50 mm Rod Kit
LBH-9063172	I-BB-1	70 mm Rod Kit
LBH-9063173	I-BB-1	80 mm Rod Kit
LBH-9063270	I-BB-1	36 mm Rod Kit
LBH-9063423	I-BB-1	30 mm Rod Kit
LBH-9063449	I-BB-1	60 mm Rod Kit
LBH-9063452	N-N-10	110 mm Piston Kit
LBH-9063464	N-N-10	70 mm Piston Kit
LBH-9063465	I-BB-1	40 mm Rod Kit
LBH-9063554	I-BB-1	50 mm Rod Kit
LBH-9063688	I-BB-1	110 mm Rod Kit
LBH-9063709	I-BB-1	85 mm Rod Kit
LBH-9063712	N-N-10	90 mm Piston Kit
LBH-9063757	I-BB-1	80 mm Rod Kit
LBH-9064091	I-BB-1	125 mm Rod Kit
LBH-9064496	I-BB-1	75 mm Rod Kit
LBH-9064577	I-BB-1	75 mm Rod Kit
LBH-9064914	N-N-10	70 mm Piston Kit
LBH-9111341	N-N-10	130 mm Piston Kit
LBH-9111605	N-N-10	120 mm Piston Kit
LBH-9113131	N-N-10	150 mm Piston Kit
LBH-9113343	N-N-10	115 mm Piston Kit
LBH-9113351	N-N-10	85 mm Piston Kit
LBH-9114673	I-BB-1	60 mm Rod Kit
LBH-9116590	I-BB-1	70 mm Rod Kit

Kit Number	Code (Pg. XIV)	Rod X Bore Size
LBH-9124375	N-N-10	85 mm Piston Kit
LBH-9124376	I-SP-1	50 mm Rod Kit
LBH-9144401	I-BB-1	95mm Rod Kit
LBH-9154141	N-N-10	160 mm Piston Kit
LBH-9154605	N-N-10	85 mm Piston Kit
LBH-9154606	I-SP-1	36 mm Rod Kit
LBH-9155154	I-SP-1	50 mm Rod Kit
LBH-9155949	N-N-10	70 mm Piston Kit
LBH-9156042	N-N-10	100 mm Piston Kit
LBH-9156782	N-N-10	150 mm Piston Kit
LBH-9156961	N-N-10	230 mm Piston Kit
LBH-9156962	I-SP-1	170 mm Rod Kit
LBH-9158084	I-BB-1	50 mm Rod Kit
LBH-9158144	I-SP-1	110 mm Rod Kit
LBH-9158145	I-SP-1	125 mm Rod Kit
LBH-9158175	I-SP-1	85 mm Rod Kit
LBH-9158310	I-BB-1	85 mm Rod Kit
LBH-9158311	I-SP-1	105 mm Rod Kit
LBH-9158397	I-BB-1	90 mm Rod Kit
LBH-9158674	I-SP-1	100 mm Rod Kit
LBH-9159131	N-N-10	100 mm Piston Kit
LBH-9159132	I-SP-1	70 mm Rod Kit
LBH-9159680	I-BB-1	60mm Rod Kit
LBH-9159705	N-N-10	210 mm Piston Kit
LBH-9159738	I-BB-1	50mm Rod Kit
LBH-9159739	I-SP-1	150 mm Rod Kit
LBH-9165363	N-N-10	140 mm Piston
LBH-9165440	N-N-10	150 mm Piston
LBH-9165441	I-BB-1	100 mm
LBH-9169653	N-N-10	170 mm Piston
LBH-9169654	N-N-10	180 mm Piston
LBH-9169656	I-SP-1	110 mm Rod Kit
LBH-9170257	N-N-10	200 mm Piston
LBH-9170258	I-SP-1	110 mm Rod Kit
LBH-9170276	P-SP-1	140 mm Rod Kit
LBH-9171670	I-SP-1	80 mm Rod Kit
LBH-9171671	N-N-10	130 mm Piston Kit
LBH-9172117	I-SP-1	70 mm Rod Kit
LBH-9172118	I-SP-1	80 mm Rod Kit
LBH-9172119	I-BB-1	90mm Rod Kit
LBH-9172122	I-SP-1	70 mm Rod Kit
LBH-9172123	I-SP-1	110 mm Rod Kit
LBH-9172577	N-N-10	120 mm Piston Kit
LBH-9174142	N-N-10	100 mm Piston Kit
LBH-9174143	I-BB-1	60 mm Rod Kit
LBH-9174200	N-N-10	100 mm Piston Kit
LBH-9174519	I-SP-1	70 mm Rod Kit

REPLACEMENT KITS FOR LIEBHERR / WIEDEREINBAUINSTALLATIONSSÄTZE FÜR LIEBHERR / KITS DE REMPLACEMENT POUR LIEBHERR / VERVANGSET VOOR LIEBHERR

Kit Number	Code (Pg. XIV)	Rod X Bore Size
LBH-9174575	I-SP-1	80 mm Rod Kit
LBH-9177617	I-BB-1	60 mm Rod Kit
LBH-9179503	N-N-10	150 mm Piston Kit
LBH-9193515	I-BB-1	70 mm Rod Kit
LBH-9196096	I-BB-1	80 mm Rod Kit
LBH-9265064	I-BB-1	130mm Rod Kit
LBH-9265132	I-BB-1	95 mm Rod Kit
LBH-9285577	N-N-10	135 mm Piston Kit
LBH-9285625	I-BB-1	85 mm Rod Kit

Kit Number	Code (Pg. XIV)	Rod X Bore Size
LBH-9374710	I-U-15	140 X 160 mm
LBH-9581868	I-BB-1	100 mm Rod Kit
LBH-9583532	I-BB-1	70 mm Rod Kit
LBH-9592551	I-BB-1	80 mm Rod Kit
LBH-9596597	I-BB-1	100 mm Rod Kit
LBH-9951829	I-BB-1	70 mm Rod Kit
LBH-9951831	N-N-10	105 mm Piston Kit
LBH-9967796	I-BB-1	90 mm Rod Kit

REPLACEMENT PARTS FOR LIEBHERR EQUIPEMENT / ERSATZTEILE FÜR LIEBHERR AUSRÜSTUNG / PIÈCES DE RECHANGE POUR L'ÉQUIPEMENT DE LIEBHERR / VERVANGDELEN VOOR MATERIAAL LIEBHERR

BACK-UP RINGS / STÜTZRINGE / BAGUES ANTI-EXTRUSION / STEUNRINGEN

Part Number	Min Pkg Qty
LBH-10406AN	1
LBH-10406BX	1

O-RINGS / O-RINGE / JOINTS TORIQUES / O-RINGEN

Part Number	Min Pkg Qty
LBH-10406AM	1
LBH-10406BW	1

WIPERS / ABSTREIFER / RACLEURS / AFSTRIJKERS

Part Number	Rod Diam.
LBH-13298-A	12