



Materiale	Velocita' m/sp:	Temperatura °C:	Pressione Mpa:
Ffkm	DINAM. 0,5 ROTAZ. 2	-25 +270	DIPENDE CONDIZ. ESERC.
Ffkm fda	DINAM. 0,5 ROTAZ. 2	-25 +270	DIPENDE CONDIZ. ESERC.

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.OMKAL.0014152	FFKM ORM D.001,42x1,52 KALREZ 75 PN894	1.42	0.00	1.52	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.004000	FFKM 75SH OR 004-2007 D.001,78x1,78 (-25?C/+ 270?C)	1.78	0.00	1.78	Ffkm	0.05
 GUARNIZIONI INDUSTRIALI	01.OMKAL.002015	FFKM 75SH O-RM D.002,00x1,5 -25?C +270?C	2.00	0.00	1.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.005000	FFKM 75SH O-R 005-2010 D.002,57x1,78 MAX 270?C	2.57	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.002829	FFKM 75SH O-RM D.002,80x1,9 -15?C +330?C	2.80	0.00	1.90	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.028810	FFKM 75SH BLACK O-RING M D.002,88x1	2.88	0.00	1.00	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.002915	FFKM - ORM D.002,90x1,50 -25?/+270?C	2.90	0.00	1.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.006000	FFKM 75SH O-R 006-2012 D.002,90x1,78 -25?C/+270?C	2.90	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.002918	FFKM - ORM D.002,90x1,80 -25?/+270?C	2.90	0.00	1.80	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.002915	FFKM 75SH O-RM D.002,90x1,5 -25?C +270?C	2.90	0.00	1.50	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.002910	O-R FFKM 90SH D.002,90x1 -10?C/+250?C	2.90	0.00	1.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.030010	FFKM 75SH BLACK O-RING M D.003,00x1	3.00	0.00	1.00	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.0031016	FFKM- ORM-80 WHITE D-003,1x1,6	3.10	0.00	1.60	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.003219	FFKM ORM D.003,20x1,9 EQUIV. KALREZ 75 PN894	3.20	0.00	1.90	Ffkm	0.00
 DISTRIBUTION	01.ORMKA.00330178	O-R FFKM 90SH D.003,30x1,78 -10?C/+250?C	3.30	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.0034019	FFKM 75SH ORM D.003,40x1,9 PN894	3.40	0.00	1.90	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.007000	FFKM 75SH OR 007-2015 D.003,68x1,78 -25?C +270?C	3.68	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.004010	FFKM 75SH O-RM D.004,00x1 -25?C +270?C	4.00	0.00	1.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.004150	FFKM 75SH O-RING D.004,00x1,5 -25?C +270?C	4.00	0.00	1.50	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.00410178	O-R FFKM 90SH D.004,10x1,78 -10?C/+250?C	4.10	0.00	1.78	Ffkm	0.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORKAL.106000	FFKM 75SH O-RING 106-3017 D.004,42x2,62 -25°C +270°C	4.42	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.008896	FFKM 75SH O-R 008-2018 D.004,48x1,78 -15°C +330°C	4.48	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.008000	FFKM 75SH O-R 008-2018 D.004,48x1,78 (-25°C/+270°C)	4.48	0.00	1.78	Ffkm	0.30
 DISTRIBUTION	01.ORMKA.004014	FFKM- ORM D.004,70x1,42	4.70	0.00	1.42	Ffkm	10.00
 DISTRIBUTION	01.ORDKA.00500178	FFKM-ORD. D.005x1,78 250°C	5.00	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.005015	FFKM ORM D.005,00x1,5 PN894	5.00	0.00	1.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.009000	FFKM 75SH OR 009-2021 D.005,28x1,78 -25°C +270°C	5.28	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.009896	FFKM 75SH OR 009-2021 D.005,28x1,78 -15°C +330°C	5.28	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.0090001	FFKM OR 009-2021 D.005,28x1,78 KAL4079	5.28	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.005324	FFKM 75SH ORM D.005,30x2,4 (-25°C / +270°C)	5.30	0.00	2.40	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.005515	FFKM ORM D.005,50x1,5 KALREZ 75 PN894	5.50	0.00	1.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.006020	FFKM 75SH O-R M D.006x2 -25°C +270°C	6.00	0.00	2.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.006002	FFKM 75SH O-RM D.006,00x2 -15°C +330°C	6.00	0.00	2.00	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.006015	FFKM - ORM 75SH D.006,00x1,5 -25°C / +270°C	6.00	0.00	1.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.006010	FFKM 75SH O-RM D.006,00x1 -25°C +270°C	6.00	0.00	1.00	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.108000	FFKM 75SH O-R 108-3024 D.006,02x2,62 -25°C +270°C	6.02	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.010000	FFKM 75SH O-R 010-2025 D.006,07x1,78 -25°C/+270°C	6.07	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.01000090	FFKM 90SH O-R 010-2025 D.006,07x1,78 -15°C +260°C	6.07	0.00	1.78	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.010896	FFKM 75SH O-R 010-2025 D.006,07x1,78 -15°C/+330°C	6.07	0.00	1.78	Ffkm	0.13
 DISTRIBUTION	01.ORMKA.006419W	FFKM - ORM D.006,40x1,90 -25°/+270°C WHITE	6.40	0.00	1.90	Ffkm	0.00
 DISTRIBUTION	01.ORMKA.006419	FFKM - ORM D.006,40x1,90 -25°/+270°C	6.40	0.00	1.90	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.006515	FFKM ORM D.006,50x1,5 KALREZ 75 PN894	6.50	0.00	1.50	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.610000	FFKM 75SH O-R 610-106 D.006,75x1,78 -25°C/+270°C	6.75	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.007010	FFKM 75SH O-RM D.007,00x1 -25°C +270°C	7.00	0.00	1.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.109000	FFKM 75SH O-R 109-3030 D.007,60x2,62 -25°C +270°C	7.60	0.00	2.62	Ffkm	0.34
 GUARNIZIONI INDUSTRIALI	01.ORKAL.109896	FFKM 75SH O-R 109-3030 D.007,60x2,62 -15°C +330°C	7.60	0.00	2.62	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.011000	FFKM 75SH O-R 011-2031 D.007,66x1,78 -25°C + 270°C	7.66	0.00	1.78	Ffkm	0.23
 GUARNIZIONI INDUSTRIALI	01.ORKAL.011001	FFKM 75SH O-R 011-2031 D.007,66x1,78 -25°C +270°C	7.66	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.00801896	FFKM 75SH O-RM D.008x1 -15°C +330°C	8.00	0.00	1.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.008015	FFKM ORM D.008,00x1,5 KALREZ 75 PN894	8.00	0.00	1.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.008003	FFKM 75SH ORM D.008x3 (-25°C +270°C)	8.00	0.00	3.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.0080025	FFKM 75SH ORM D.008x2,5 -25°C +270°C	8.00	0.00	2.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.008002	FFKM 75SH ORM D.008x2 -25°C +270°C	8.00	0.00	2.00	Ffkm	0.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
	01.ORMKA.008350116	O-R FFKM 90SH D.008,35x1,16 -10?C/+250?C	8.35	0.00	1.16	Ffkm	0.00
	01.OMKAL.008515	FFKM 75SH O-RM D.008,50x1,5 -25?C +270?C	8.50	0.00	1.50	Ffkm	10.00
	01.ORKAL.611000	FFKM 75SH O-R 611-108 D.008,73x1,78 -25?C/+270?C	8.73	0.00	1.78	Ffkm	0.17
	01.ORMKA.0089027	FFKM- ORM D.008,90x2,7	8.90	0.00	2.70	Ffkm	10.00
	01.ORMKA.009178	FFKM 75SH O-R M D.009x1,78 -20?C +270?C	9.00	0.00	1.78	Ffkm	10.00
	01.ORMKA.009002	FFKM 75SH ORM D.009x2 -25?C +270?C	9.00	0.00	2.00	Ffkm	0.00
	01.OMKAL.009265	FFKM 75SH BLACK O-RM D.009,00x2,65 -10C +315?C	9.00	0.00	2.65	Ffkm	0.00
	01.OMKAL.009116	FFKM 70SH O-RM D.009,10x1,6 -25?C +270?C	9.10	0.00	1.60	Ffkm	0.00
	01.ORKAL.110100	FFKM 75SH O-RING 110/1-109 D.009,13x2,62 -25?C +270?C	9.13	0.00	2.62	Ffkm	10.00
	01.ORKAL.110000	FFKM 75SH O-RING 110-3037 D.009,19x2,62	9.19	0.00	2.62	Ffkm	10.00
	01.ORKAL.012000	FFKM 75SH O-R 012-2037 D.009,25x1,78 -25?C/+270?C	9.25	0.00	1.78	Ffkm	10.00
	01.OMKAL.0090239	FFKM 75SH ORM D.009,30x2,39 PN894	9.30	0.00	2.39	Ffkm	10.00
	01.OMKAL.009515	FFKM 75SH O-RM D.009,50x1,5 -25?C +270?C	9.50	0.00	1.50	Ffkm	10.00
	01.OMKAL.009503	FFKM 70SH O-RM D.009,50x3 -25?C +270?C	9.50	0.00	3.00	Ffkm	0.00
	01.ORKAL.613000	FFKM 75SH O-R 613-112 D.009,92x2,62 -25?C +270?C	9.92	0.00	2.62	Ffkm	0.00
	01.OMKAL.010010	FFKM ORM D.010,00x1,0 KALREZ 75 PN894	10.00	0.00	1.00	Ffkm	10.00
	01.OMKAL.010002	FFKM ORM D.010,00x2,0 -25?C +270?C	10.00	0.00	2.00	Ffkm	10.00
	01.ORMKA.010024	FFKM 75SH ORM D.010x2,4 -25?C +270?C	10.00	0.00	2.40	Ffkm	0.00
	01.ORMKA.010201	FFKM- ORM D.010,20x1 -25?C +270?C	10.20	0.00	1.00	Ffkm	10.00
	01.ORKAL.111000	FFKM 75SH O-R 111-3043 D.010,78x2,62 -25?C +270?C	10.78	0.00	2.62	Ffkm	10.00
	01.ORKAL.111896	FFKM 75SH O-R 111-3043 D.010,78x2,62 -15?C +330?C	10.78	0.00	2.62	Ffkm	0.00
	01.ORMKA.010826	FFKM - ORM 75SH D.010,80x2,6 -25?C / +270?C	10.80	0.00	2.60	Ffkm	10.00
	01.ORKAL.013000	FFKM-OR 75SH 013-2043 D.010,82x1,78 -25?C +270?C	10.82	0.00	1.78	Ffkm	0.20
	01.ORMKA.0110200	FFKM 70SH WHITE O-R M D.011x2 -20?C +270?C	11.00	0.00	2.00	Ffkm	0.01
	01.ORMKA.011020	FFKM 75SH O-R M D.011x2 -25?C +270?C	11.00	0.00	2.00	Ffkm	10.00
	01.OMKAL.011020	FFKM ORM D.011,00x2,0 KALREZ 75 PN894	11.00	0.00	2.00	Ffkm	0.00
	01.OMKAL.011013	FFKM 75SH BLACK O-RM D.011,00x1,3 -10C +315?C	11.00	0.00	1.30	Ffkm	0.00
	01.ORKAL.806000	FFKM 75SH O-R 806-114 D.011,11x1,78 -25?C +270?C	11.11	0.00	1.78	Ffkm	0.00
	01.OMKAL.0112018	FFKM 70SH O-RM D.011,20x1,8 -25?C +270?C	11.20	0.00	1.80	Ffkm	0.00
	01.ORMKA.0118024	FFKM 75SH ORM D.011,80x2,4 -25?C +270?C	11.80	0.00	2.40	Ffkm	0.00
	01.ORKAL.906000	FFKM 75SH OR 906 D.011,89x1,98 -25?C +270?C	11.89	0.00	1.98	Ffkm	0.00
	01.ORMKA.011930	FFKM- ORM D.011,90x3 300?C	11.90	0.00	3.00	Ffkm	10.00
	01.ORKAL.614000	FFKM 75SH O-R 614-115 D.011,91x2,62 -25?C +270?C	11.91	0.00	2.62	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORKAL.615000	FFKM OR 615 D.011,91x2,62 KALREZ 6375	11.91	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.61400070	FFKM 70SH O-R 614-115 D.011,91x2,62 -25?C +270?C	11.91	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.015PN896	FFKM OR 015-2056 D.011,91x2,62 PN896 330?C	11.91	0.00	2.62	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.012015	FFKM 75SH O-RM D.012,00x1,5 -25?C +270?C PN894	12.00	0.00	1.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.012025	FFKM 75SH O-RM D.012,00x2,5 -25?C +270?C PN894	12.00	0.00	2.50	Ffkm	0.00
	01.OMKAL.012004	FFKM ORM D.012,00x4,0	12.00	0.00	4.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.012116	FFKM 75SH O-RM D.012,10x1,6 -25?C +270?C	12.10	0.00	1.60	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.0122201	O-R FFKM 90SH D.012,22x1 -10?C/+250?C	12.22	0.00	1.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.112000	FFKM 75SH O-R 112-3050 D.012,37x2,62 -25?C + 270?C	12.37	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.014001	FFKM 75SH O-R 014-2050 D.012,42x1,78 -15?C/+330?C	12.42	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.014000	FFKM 75SH O-R 014-2050 D.012,42x1,78 -25?C/+270?C	12.42	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.012520	FFKM ORM D.012,50x2,0 KALREZ 75 PN894	12.50	0.00	2.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.013030	FFKM 75SH O-R M D.013x3 -25?C +270?C	13.00	0.00	3.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.013035	FFKM 75SH O-R M D.013x3,5 -25?C +270?C	13.00	0.00	3.50	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.0130025	FFKM- ORM D.013,00x2,5	13.00	0.00	2.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.013020	FFKM 75SH O-R M D.013x2 -25?C +270?C	13.00	0.00	2.00	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.207000	FFKM 75SH O-R 207-4055 D.013,87x3,53 -25?C +270?C	13.87	0.00	3.53	Ffkm	1.00
 DISTRIBUTION	01.ORKAL.113000896	FFKM 75SH O-R 113-3056 D.013,94x2,62 -15?C + 330?C	13.94	0.00	2.62	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.113000	FFKM 75SH O-R 113-3056 D.013,94x2,62 -25?C + 270?C	13.94	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.015000	FFKM 75SH O-R 015-2056 D.014,0x1,78 -25?C/+270?C	14.00	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.014003	FFKM 70SH O-RM D.014,00x3 -25?C +270?C	14.00	0.00	3.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.014116	FFKM 70SH O-RM D.014,10x1,6 -25?C +270?C	14.10	0.00	1.60	Ffkm	0.00
 DISTRIBUTION	01.OVOR0.17448	OVAL O-RING 17448-20002-9 x 14,24 x 5,4 NBR 70	14.24	0.00	5.40	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.0150015	FFKM- ORM D.015,00x1,5 + 270?	15.00	0.00	1.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.015020	FFKM 75SH O-R M D.015x2 -25?C +270?C	15.00	0.00	2.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.015003	FFKM 70SH O-RM D.015,00x3 -25?C +270?C	15.00	0.00	3.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.015015	FFKM 75SH O-R M D.015,00x1,5 PN894	15.00	0.00	1.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.015324	FFKM ORM D.015,30x2,4 KALREZ 75 PN894	15.30	0.00	2.40	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.208000	FFKM 75SH O-R 208-4061 D.015,47x3,53 -25?C + 270?C	15.47	0.00	3.53	Ffkm	1.10
 GUARNIZIONI INDUSTRIALI	01.ORKAL.114000	FFKM 75SH O-R 114-3062 D.015,54x2,62 -25?C + 270?C	15.54	0.00	2.62	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.016000	FFKM 75SH O-R 016-2062 D.015,60x1,78 -25?C/+270?C	15.60	0.00	1.78	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORKAL.156896	FFKM 75SH O-R 016-2062 D.015,60x1,78 -15°C +330°C	15.60	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.01600B	FFKM/WHITE 80SH O-R 016-2062 D.015,60x1,78 -25°C +270°C	15.60	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.809PB794	FFKM 70 WHITE PB794 OR 809 D.015,88x2,62 -20°C +270°C	15.88	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.809000	FFKM 75SH OR 809-121 D.015,88x2,62 -25°C+270°C	15.88	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.016026	FFKM - ORM 75SH D.016,00x2,6 -25°C / +270°C	16.00	0.00	2.60	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.016020	FFKM 75SH O-R M D.016x2 -25°C/+270°C	16.00	0.00	2.00	Ffkm	0.70
 GUARNIZIONI INDUSTRIALI	01.ORMKA.017020	FFKM 75SH O-R M D.017x2 -25°C +270°C	17.00	0.00	2.00	Ffkm	0.00
	01.OMKAL.017004	FFKM ORM D.017,00x4,0	17.00	0.00	4.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.209000	FFKM 75SH O-R 209-4067 D.017,04x3,53 (-25°C/+ 270°C)	17.04	0.00	3.53	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.115000	FFKM 80SH WHITE O-R 115-3068 D.017,13x2,62 -15°C +330°C	17.13	0.00	2.62	Ffkm	0.92
 DISTRIBUTION	01.ORKAL.115075	FFKM 75SH O-R 115-3068 D.017,13x2,62 -25°C +270°C	17.13	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.017000	FFKM 75SH O-R 017-2068 D.017,16x1,78 (-25°C/+270°C)	17.16	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.017503	FFKM 75SH OR-M D.017,50x3 -25°C + 270°C	17.50	0.00	3.00	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.617000	FFKM 75SH O-R 617-123 D.017,86x2,62 -25°C/+270°C	17.86	0.00	2.62	Ffkm	0.00
	01.OMKAL.018035	FFKM ORM D.018,00x3,5	18.00	0.00	3.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.018020	FFKM 75SH O-R M D.018x2 -25°C +270°C	18.00	0.00	2.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.M182PB794	FFKM 70 WHITE PB794 OR M D.18,00x2	18.00	0.00	2.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.018336	FFKM ORM D.018,30x3,6 +270	18.30	0.00	3.60	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.210000	FFKM 75SH O-R 210-4075 D.018,64x3,53 -25°C + 270°C	18.64	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.116000	FFKM 75SH O-R 116-3075 D.018,72x2,62 -25°C + 270°C	18.72	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.116896	FFKM 75SH O-R 116-3075 D.018,72x2,62 -15°C + 330°C	18.72	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.018896	FFKM 75SH O-R 018-2075 D.018,77x1,78 -15°C/+330°C	18.77	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.018000	FFKM 75SH O-R 018-2075 D.018,77x1,78 -25°C +270°C	18.77	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.018FDA	FFKM FDA 75SH O-R 018-2075 D.018,77x1,78	18.77	0.00	1.78	Ffkm fda	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.0180001	FFKM 75SH O-R 018-2075 D.018,77x1,78 -25°C +270°C	18.77	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.019020	FFKM 75SH O-RM D.019,00x2 -25°C +270°C	19.00	0.00	2.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.019025	FFKM ORM D.019,00x2,5 KALREZ 75 PN894	19.00	0.00	2.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.315PB794	FFKM 70 WHITE PB794 OR 315-6080 D.019,99x5,34	19.99	0.00	5.34	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.020025	FFKM 75SH O-RM D.020x2,5 -25°C +270°C	20.00	0.00	2.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.211000	FFKM 75SH O-RING 211-4081 D.020,22x3,53 -25°C / +270°C	20.22	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.211896	FFKM 75SH O-RING 211-4081 D.020,22x3,53 -15°C +330°C	20.22	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.117000	FFKM 75SH O-R 117-3081 D.020,29x2,62 -25°C + 270°C	20.29	0.00	2.62	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 NET SEALS — DISTRIBUTION —	01.ORKAL.019000	FFKM 75SH O-R 019-2081 D.020,35x1,78 -25°C +270°C	20.35	0.00	1.78	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.019001	FFKM 75SH O-R 019-2081 D.020,35x1,78 -15°C/+330°C	20.35	0.00	1.78	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.0210016	FFKM- ORM D.021,10x1,6 PN894	21.10	0.00	1.60	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.212000	FFKM 75SH O-R 212-4087 D.021,82x3,53 -25°C +270°C	21.82	0.00	3.53	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.118000	FFKM 75SH O-R 118-3087 D.021,90x2,62 -25°C +270°C	21.90	0.00	2.62	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.020BIA	FFKM 70SH WHITE O-R 020-2087 D.021,95x1,78 (-20°C / +270°C)	21.95	0.00	1.78	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.020000	FFKM 75SH O-R 020-2087 D.021,95x1,78 -25°C/+270°C	21.95	0.00	1.78	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.022035	FFKM 75SH O-R M D.022x3,5 -25°C +270°C	22.00	0.00	3.50	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.022020	FFKM ORM D.022,00x2,0 KALREZ 75 PN894	22.00	0.00	2.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.813000	O-R FFKM 75SH 813-130 D.022,22x2,62 -25°C/+270°C	22.22	0.00	2.62	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.023002	FFKM 75SH ORM D.023x2 -25°C +270°C	23.00	0.00	2.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.213896	FFKM 75SH OR 213-4093 D.023,39x3,53 -15°C +330°C	23.39	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.213000	FFKM 75SH OR 213-4093 D.023,39x3,53 +270°C	23.39	0.00	3.53	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.119000	FFKM 75SH O-R 119-3093 D.023,47x2,62 -25°C +270°C	23.47	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.021000	FFKM 75SH O-R 021-2093 D.023,52x1,78 -25°C +270°C	23.52	0.00	1.78	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.021896	FFKM 75SH O-R 021-2093 D.023,52x1,78 -15°C +330°C	23.52	0.00	1.78	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.024004	FFKM 75SH O-R M D.024,00x4 -25°C/+270°C	24.00	0.00	4.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.245025	FFKM ORM D.024,50x2,5 KALREZ 75 PN894	24.50	0.00	2.50	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.318000	FFKM 75SH OR 318-6100 D.024,77x5,34 -25°C +270°C	24.77	0.00	5.34	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.214896	FFKM 75SH O-R 214-4100 D.024,99x3,53 -15°C +330°C	24.99	0.00	3.53	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.214000	FFKM 75SH O-R 214-4100 D.024,99x3,53 -25°C/+270°C	24.99	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.025005	FFKM 75SH O-RM D.025,00x5 -15°C +330°C	25.00	0.00	5.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.025003	FFKM 75SH O-RM D.025,00x3 -15°C +330°C	25.00	0.00	3.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.025004	FFKM 75SH O-RM D.025,00x4 -15°C +330°C	25.00	0.00	4.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.025015	FFKM 75SH O-R M D.025,00x1,5 PN894	25.00	0.00	1.50	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.120PB794	FFKM 70 WHITE PB794 OR 120 D.025,07x2,62	25.07	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.120000	FFKM 75SH BLACK O-R 120-3100 D.025,07x2,62 -25°C / +270°C	25.07	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.120100	FFKM 75SH BLACK O-R 120-3100 D.025,07x2,62 -15°C / +330°C	25.07	0.00	2.62	Ffkm	0.90
 NET SEALS — DISTRIBUTION —	01.ORKAL.022000	FFKM OR 022-2100 D.025,12x1,78 KAL4079	25.12	0.00	1.78	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.022001	FFKM 75SH O-R 022-2100 D.025,12x1,78 -25°C + 270°C	25.12	0.00	1.78	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.319000	FFKM 75SH OR 319-6105 D.026,34x5,34 -25°C +270°C	26.34	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.215000	FFKM 75SH O-R 215-4106 D.026,57x3,53 -25°C +270°C	26.57	0.00	3.53	Ffkm	10.00
 FREUDENBERG	01.ORKAL.121000	FFKM 75SH OR 121-3106 D.026,65x2,62 -25°C +270°C	26.65	0.00	2.62	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 NET SEALS DISTRIBUTION	01.ORKAL.023000	FFKM OR 023-2106 D.026,70x1,78 -25?+270?C	26.70	0.00	1.78	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.023896	FFKM OR 023-2106 D.026,70x1,78 -15?+330?C	26.70	0.00	1.78	Ffkm	0.00
 FREUDENBERG	01.OMKAL.028035	FFKM 75SH ORM D.028,00x3,5 -15?C +330?C	28.00	0.00	3.50	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.0280200	FFKM 70SH WHITE O-R M D.028x2 -20?C +270?C	28.00	0.00	2.00	Ffkm	0.74
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.0280265	FFKM ORM D.028,00x2,65 KALREZ 75 PN894	28.00	0.00	2.65	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.028030	FFKM ORM D.028,00x3 KALREZ 75 PN894	28.00	0.00	3.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.028025	FFKM ORM D.028,00x2,5 KALREZ 75 PN894	28.00	0.00	2.50	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORKAL.216000	FFKM OR 216-4112 D.028,17x3,53	28.17	0.00	3.53	Ffkm	10.00
	01.ORKAL.122FDA	FFKM FDA 75SH O-R 122-3112 D.028,24x2,62	28.24	0.00	2.62	Ffkm fda	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.122000	FFKM 75SH O-R 122-3112 D.028,25x2,62 (-25?C/+270?C)	28.25	0.00	2.62	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.024000	FFKM 75SH O-R 024-2112 D.028,3x1,78 -25?C/+270?C	28.30	0.00	1.78	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.024896	FFKM 75SH O-R 024-2112 D.028,3x1,78 -15?C/+330?C	28.30	0.00	1.78	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.217000	FFKM 75SH O-R 217-4118 D.029,75x3,53 -25?C + 270?C	29.75	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.123FDA	FFKM FDA 75SH O-R 123-3118 D.029,82x2,62	29.82	0.00	2.62	Ffkm fda	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.123000	O-R FFKM 75SH 123-3118 D.029,83x2,62 -25?C/+270?C	29.83	0.00	2.62	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.025000	FFKM 75SH O-R 025-2118 D.029,87x1,78 -25?C/+270?C	29.87	0.00	1.78	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORMKA.030025	FFKM- ORM D.030,00x2,5 KAL 6375	30.00	0.00	2.50	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.030030	FFKM 75SH ORM D.030,00x3 -25?C +270?C	30.00	0.00	3.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.030020	FFKM 75SH ORM D.030,00x2,0 -25?C +270?C	30.00	0.00	2.00	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORMKA.030002	FFKM- ORM D.030,00x2 PN894	30.00	0.00	2.00	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORMKA.030026	FFKM - ORM 75SH D.030,00x2,6 -25?C / +270?C	30.00	0.00	2.60	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.030303	FFKM 75SH ORM D.030,30x3 -25?C +270?C	30.30	0.00	3.00	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORKAL.218000	FFKM 75SH O-R 218-4125 D.031,34x3,53 -25?C + 270?C	31.34	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.218PN896	FFKM OR 218-4125 D.031,34x3,53 PN896 330?C	31.34	0.00	3.53	Ffkm	10.00
	01.ORKAL.124FDA	FFKM FDA 75SH O-R 124-3125 D.031,42x2,62	31.42	0.00	2.62	Ffkm fda	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.124000	FFKM 75SH O-R 124-3125 D.031,42x2,62 -25?C +270?C	31.42	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.026BCO	FFKM 70SH WHITE O-R 026-2125 D.031,47x1,78	31.47	0.00	1.78	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.026000	FFKM 75SH O-R 026-2125 D.031,47x1,78 -25?C/+270?C	31.47	0.00	1.78	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.OMKAL.031525	FFKM ORM D.031,50x2,5 KAL 6375	31.50	0.00	2.50	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.03167262	FFKM 75SH O-R M D.031,67x2,62 -15?C +330?C	31.67	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.032203	FFKM 75SH ORM D.032,20x3 -25?C +270?C	32.20	0.00	3.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.219000	FFKM 75SH O-R 219-4131 D.032,93x3,53 -25?C/+270?C	32.93	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.033003	FFKM 75SH ORM D.033x3	33.00	0.00	3.00	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORMKA.033035	FFKM 75SH O-R M D.033x3,5 -25°C +270°C	33.00	0.00	3.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.125100	FFKM 75SH O-R 125-3131 D.033,00x2,62 max 270°C	33.00	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.125000	FFKM 75SH O-R 125-3131 D.033,00x2,62 max 330°C	33.00	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.027000	FFKM 75SH OR 027-2131 D.033,05x1,78 -25°C +270°C	33.05	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.033735	FFKM 75SH O-RM D.033,7x3,5 -25°C +270°C	33.70	0.00	3.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.324000	FFKM 75SH OR 324-6135 D.034,29x5,34 -25°C +270°C	34.29	0.00	5.34	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.220896	FFKM 75SH OR 220-4137 D.034,52x3,53 -15°C +330°C	34.52	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.220000	FFKM 75SH O-R 220-4137 D.034,52x3,53 -25°C + 270°C	34.52	0.00	3.53	Ffkm	10.00
	01.ORKAL.126000	FFKM 75SH OR 126-3137 D.034,59x2,62 -25°C +270°C	34.59	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.126896	FFKM 75SH OR 126-3137 D.034,59x2,62 -15°C +330°C	34.59	0.00	2.62	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.028000	FFKM 75SH O-R 028-2137 D.034,65x1,78 -25°C +270°C	34.65	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.028001	FFKM 75SH O-R 028-2137 D.034,65x1,78 -15°C/+330°C	34.65	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.035025	FFKM 75SH ORM D.035x2,5 -25°C +270°C	35.00	0.00	2.50	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.035055	FFKM 75SH O-R M D.035x5,5 -25°C +270°C	35.00	0.00	5.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.127000	FFKM 75SH O-R 127-3143 D.036,17x2,62 -15°C +330°C	36.17	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.036526	FFKM - ORM 75SH D.036,50x2,6 -25°C / +270°C	36.50	0.00	2.60	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.037230	FFKM 75SH O-RM D.037,20x3 -25°C +270°C PN894	37.20	0.00	3.00	Ffkm	0.00
 DISTRIBUTION	01.ORKAL325000	FFKM 75SH OR 325-6150 D.037,47x5,34 -25°C +270°C	37.47	0.00	5.33	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.222PB794	FFKM 70 WHITE PB794 OR 222-4150 D.037,69x3,53	37.69	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.222000	FFKM 75SH O-R 222-4150 D.037,69x3,53 -25°C/+270°C	37.69	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.128000	FFKM 75SH O-R 128-3150 D.037,77x2,62 -25°C +270°C	37.77	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.029000	FFKM 75SH O-R 029-2150 D.037,82x1,78 -25°C/+270°C	37.82	0.00	1.78	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.038025	FFKM- ORM D.038,00x2,5 KAL 6375	38.00	0.00	2.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.0380353	FFKM 75SH O-RM D.038,00x3,53 -25°C +270°C	38.00	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.038003	FFKM 75SH O-RM D.038,00x3 -25°C +270°C	38.00	0.00	3.00	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.039004	FFKM - ORM 75SH D.045,60x3 -15°C / + 330°C	39.00	0.00	4.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.039203	FFKM 70SH O-RM D.039,20x3 -25°C +270°C	39.20	0.00	3.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.129000	FFKM 75SH O-R 129-3156 D.039,35x2,62 -25°C +270°C	39.35	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.824PB794	FFKM 70 WHITE PB794 OR 824-144 D.039,69x3,53	39.69	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.824000	FFKM 75SH O-R 824-144 D.039,69x3,53 -25°C + 270°C	39.69	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.040020	FFKM ORM D.040,00x2,0 KALREZ 75 PN894	40.00	0.00	2.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.040003	FFKM 75SH ORM D.040x3	40.00	0.00	3.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.326000	FFKM 75SH O-R 326-6162 D.040,64x5,34 -25°C +270°C	40.64	0.00	5.34	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORKAL.223000	FFKM 75SH O-R 223-4162 D.040,87x3,53 -25°C +270°C	40.87	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.223100	FFKM 75SH O-R 223-4162 D.040,87x3,53 -15°C +330°C	40.87	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.130000	FFKM 75SH OR 130-3162 D.040,95x2,62 -15°C +330°C	40.95	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.130894	FFKM 75SH OR 130-3162 D.040,95x2,62 -25°C +270°C	40.95	0.00	2.62	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.030000	O-R FFKM 75SH 030-2162 D.041,00x1,78 -25°C/+270°C	41.00	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.825000	FFKM 75SH O-R 825-146 D.041,28x3,53	41.28	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.042020	FFKM 75SH O-RM D.042,00x2 -25°C +270°C PN894	42.00	0.00	2.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.131000	FFKM 75SH OR 131-3168 D.042,52x2,62 +270°C	42.52	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.042850178	O-R FFKM 90SH D.042,85x1,78 -10°C/+250°C	42.85	0.00	1.78	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.826000	FFKM 75SH O-R 826-147 D.042,86x3,53 (-25°C/+ 270°C)	42.86	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.327001	FFKM 75SH O-R 327-6175 D.043,82x5,34 -15°C/+330°C	43.82	0.00	5.34	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.224PB794	FFKM 70 WHITE PB794 OR 224-4175 D.044,04x3,53	44.04	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.224000	FFKM 75SH O-RING 224-4175 D.044,05x3,53 -25°C +270°C	44.05	0.00	3.53	Ffkm	1.80
 GUARNIZIONI INDUSTRIALI	01.ORKAL.132000070	FFKM 70SH OR 132-3175 D.044,12x2,62 -25°C +270°C	44.12	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.132000	FFKM 75SH OR 132-3175 D.044,12x2,62 -25°C +270°C	44.12	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.031000	FFKM OR 031-2175 D.044,17x1,78 KAL4079	44.17	0.00	1.78	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.044357	FFKM 70SH O-RM D.044,30x5,7 -25°C +270°C	44.30	0.00	5.70	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.827000	FFKM 75SH O-R 827-149 D.044,45x3,53 -25°C +270°C	44.45	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.045700	FFKM 75SH O-RING D.045,00x7,00 -25°C +270°C	45.00	0.00	7.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.045353	FFKM 75SH O-RING D.045,00x3,53 -25°C +270°C	45.00	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.045630	FFKM- ORM D.045,60x3 300°C	45.60	0.00	3.00	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.133000	FFKM 75SH O-R 133-3181 D.045,69x2,62 -25°C/+270°C	45.69	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.046002	FFKM 75SH ORM D.046x2 -25°C +270°C	46.00	0.00	2.00	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.828000	FFKM 75SH O-R 828-150 D.046,04x3,53 -25°C +270°C	46.04	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.046203	FFKM 75SH ORM D.046,2x3 -25°C +270°C	46.20	0.00	3.00	Ffkm	10.00
 DISTRIBUTION	01.ORKAM.047004	FFKM 75SH OR M D.047,00x4 -25°C +270°C	47.00	0.00	4.00	Ffkm	10.00
 DISTRIBUTION	01.ORKAM.0470002	FFKM 75SH OR M D.047,00x2 -15°C +330°C	47.00	0.00	2.00	Ffkm	0.00
 DISTRIBUTION	01.ORKAM.047002	FFKM 75SH OR M D.047,00x2 -25°C +270°C	47.00	0.00	2.00	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.225000	FFKM 75SH O-RING 225-4187 D.047,22x3,53 -25°C +270°C	47.22	0.00	3.53	Ffkm	1.80
 DISTRIBUTION	01.ORKAL.032000	FFKM 75SH OR 032-2187 D.047,37x1,78 -25°C +270°C	47.37	0.00	1.78	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.047502	FFKM 75SH O-R M D.047,5x2 -18°C +275°C	47.50	0.00	2.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.134100	FFKM 75SH OR 134/1-134/1 D.047,60x2,62 -25°C +270°C	47.60	0.00	2.62	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 NET SEALS — DISTRIBUTION —	01.ORMKA.047735	FFKM- ORM D.047,70x3,50 KAL 4079	47.70	0.00	3.50	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.049003	FFKM 75SH ORM D.049x3 -25°C +270°C	49.00	0.00	3.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.050003	FFKM 75SH O-RM D.050x3 -25°C +270°C	50.00	0.00	3.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.050400	FFKM 75SH O-RING D.050,00x4,00 -25°C +270°C	50.00	0.00	4.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.329000	FFKM 75SH OR 329-6200 D.050,16x5,34 -25°C +270°C	50.16	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.226000	FFKM 75SH O-R 226-4200 D.050,39x3,53 -25°C +270°C	50.39	0.00	3.53	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.136894	FFKM 75SH OR 136-3200 D.050,47x2,62 -25°C +270°C	50.47	0.00	2.62	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.033000	FFKM-OR 033-2200 D.050,52x1,78--FFKM-894 75SH	50.52	0.00	1.78	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.050640	FFKM- ORM D.050,60x4 300°C	50.60	0.00	4.00	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.831000	FFKM 75SH O-R 831-155 D.050,80x3,53 -25°C +270°C	50.80	0.00	3.53	Ffkm	0.00
 FREUDENBERG	01.ORMKA.052002	FFKM- ORM D.052,00x2 KAL-G80A	52.00	0.00	2.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.052015	FFKM 75SH O-RM D.052,00x1,5 -25°C +270°C PN894	52.00	0.00	1.50	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.137000	FFKM OR 137-3206 D.052,07x2,62 MAX 316°C	52.07	0.00	2.62	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.137894	FFKM 75SH O-R 137-3206 D.052,07x2,62 -25°C +270°C	52.07	0.00	2.62	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.053007	FFKM 75SH O-R M D.053x7 -25°C +270°C	53.00	0.00	7.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.330000	FFKM 75SH O-R 330-6212 D.053,34x5,34 -25°C +270°C	53.34	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.330896	FFKM 75SH O-R 330-6212 D.053,34x5,34 -15°C +330°C	53.34	0.00	5.34	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.138000	FFKM 75SH OR 138-3212 D.053,65x2,62 -25°C +270°C	53.65	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.034894	FFKM 75SH OR 034-2212 D.053,67x1,78 -25°C +270°C	53.67	0.00	1.78	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.833000	FFKM 75SH O-R 833-158 D.053,97x3,53 MAX 270°C	53.97	0.00	3.53	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.054030	FFKM 75SH OR-M D.054,00x3 -25°C +270°C	54.00	0.00	3.00	Ffkm	6.39
 NET SEALS — DISTRIBUTION —	01.ORMKA.054039	FFKM - ORM 75SH D.054,00x3,9 -25°C/+270°C	54.00	0.00	3.90	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.054535	FFKM- ORM D.054,50x3,50 KAL 4079	54.50	0.00	3.50	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.834000	FFKM 75SH O-RING 834-159 D.055,56x3,53 -25°C +270°C	55.56	0.00	3.53	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.834PB794	FFKM 70 WHITE PB794 OR 834 D.055,56x3,53	55.56	0.00	3.53	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.056004	FFKM 75SH OR M D.056,00x4 -25°C +270°C	56.00	0.00	4.00	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.331000	FFKM OR 331-6225 D.056,52x5,34 MAX 316°C	56.52	0.00	5.34	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.228000	FFKM 75SH O-R 228-4225 D.056,74x3,53 -25°C +270°C	56.74	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.035000	FFKM 75SH O-R 035-2225 D.056,87x1,78 -25°C +270°C	56.87	0.00	1.78	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.835000	FFKM 75SH O-R 835-161 D.057,15x3,53 -25°C +270°C	57.15	0.00	3.53	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.141000	FFKM 75SH OR 141-3231 D.058,42x2,62 -25°C +270°C	58.42	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.836000	FFKM 75SH OR 836-162 D.058,74x3,53 -25°C +270°C	58.74	0.00	3.53	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 NET SEALS DISTRIBUTION	01.ORKAL.059363	FFKM 75SH O-R D.059,36x3 -25°C + 270°C	59.36	0.00	3.00	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORMKA.059740	FFKM- ORM D.059,70x4 300°C	59.70	0.00	4.00	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.229000	FFKM 75SH OR 229-4237 D.059,92x3,53 -25°C +270°C	59.92	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.229PN896	FFKM OR 229-4237 D.059,92x3,53 PN896 330°C	59.92	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.142000	FFKM 75SH O-R 142-3237 D.060,00x2,62 -25°C +270°C	60.00	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.061035	FFKM ORM D.061,00x3,5 KALREZ 75 PN894	61.00	0.00	3.50	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.838000	FFKM 75SH O-R 838-165 D.061,90x3,53 (-25°C/+270°C)	61.90	0.00	3.53	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.333000	FFKM 75SH OR 333-6250 D.062,87x5,34 -25°C +270°C	62.87	0.00	5.34	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.230000	FFKM 75SH OR 230-4250 D.063,09x3,53 -25°C +270°C	63.09	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.037000	FFKM 75SH O-R 037-2250 D.063,22x1,78 -25°C +270°C	63.22	0.00	1.78	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORMKA.037000	O-R FFKM 90SH 037-2250 D.063,22x1,78 -10°C/+250°C	63.22	0.00	1.78	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.839000	FFKM 75SH OR 839-167 D.063,50x3,53	63.50	0.00	3.53	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.145000	FFKM 75SH O-R 145-3256 D.064,77x2,62 -25°C +270°C	64.77	0.00	2.62	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORMKA.065002	FFKM 75SH OR-M D.065,00x2 -25°C + 270°C	65.00	0.00	2.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.065030	FFKM ORM D.065,00x3,0 KALREZ 75 PN894	65.00	0.00	3.00	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORMKA.0652775	FFKM 75SH OR-M D.065,00x2 -15°C + 340°C	65.00	0.00	2.00	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORMKA.065025	FFKM- ORM D.065,00x2,5 KAL 6375	65.00	0.00	2.50	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORMKA.066045	FFKM 75SH OR M D.066,00x4,5 -25°C +270°C	66.00	0.00	4.50	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.334000	FFKM 75SH OR 334-6262 D.066,04x5,34 (-25°C/+270°C)	66.04	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.231000	FFKM 75SH OR 231-4262 D.066,27x3,53 +270°C	66.27	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.231000894	FFKM 75SH OR 231-4262 D.066,27x3,53 -25°C +270°C	66.27	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.038000	FFKM 75SH O-R 038-2262 D.066,40x1,78 -25°C +270°C	66.40	0.00	1.78	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.147000	FFKM 75SH OR 147-3268 D.067,95x2,62 -25°C +270°C	67.95	0.00	2.62	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.068030	FFKM ORM D.068,00x3,0 KALREZ 75 PN894	68.00	0.00	3.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.0692699	FFKM 75SH OR D.069,2x6,99 -25°C +270°C	69.20	0.00	6.99	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.335000	FFKM 75SH O-R 335-6275 D.069,22x5,34 -25°C +270°C	69.22	0.00	5.34	Ffkm	10.00
	01.ORKAL.232FDA	FFKM FDA 75SH O-R 232-4275 D.069,44x3,53	69.44	0.00	3.53	Ffkm fda	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.232000	FFKM 75SH O-R 232-4275 D.069,44x3,53 -25°C + 270°C	69.44	0.00	3.53	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.148000	FFKM 75SH O-R 148-3275 D.069,52x2,62 -25°C +270°C	69.52	0.00	2.62	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.039000	FFKM OR 039-2275 D.069,57x1,78 FFKM	69.57	0.00	1.78	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORKAL.843000	FFKM 75SH OR 843-173 D.069,85x3,53 -25°C +270°C	69.85	0.00	3.53	Ffkm	0.00
 NET SEALS DISTRIBUTION	01.ORMKA.070003	FFKM ORM D.070,00x3 MAX 316°C	70.00	0.00	3.00	Ffkm	10.00
 NET SEALS DISTRIBUTION	01.ORMKA.071025	FFKM 75 SH ORM D.071,00x2,5 KAL 6375	71.00	0.00	2.50	Ffkm	0.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
	01.ORKAL.844000	FFKM 75SH OR 844-174 D.71,44x3,53 (-25°C/+270°C)	71.44	0.00	3.53	Ffkm	0.00
	01.ORKAL.233FDA	FFKM FDA 75SH O-R 233-4287 D.072,62x3,53	72.62	0.00	3.53	Ffkm fda	10.00
	01.ORKAL.233000	FFKM 75SH O-R 233-4287 D.072,69x3,53 -25°/+270°	72.69	0.00	3.53	Ffkm	10.00
	01.ORKAL.150894	FFKM 75SH OR 150-3287 D.072,70x2,62 -25°C +270°C	72.70	0.00	2.62	Ffkm	0.00
	01.ORKAL.150896	FFKM 75SH OR 150-3287 D.072,70x2,62 -15°C +330°C	72.70	0.00	2.62	Ffkm	0.00
	01.ORKAL.845000	FFKM-OR 75SH 845-176 D.073,02x3,53 -25°C +270°C	73.02	0.00	3.53	Ffkm	10.00
	01.ORKAL.640000	FFKM OR 640 D.074,30x2,62 MAX 316°C	74.30	0.00	2.62	Ffkm	10.00
	01.ORKAL.846000	FFKM 75SH OR 846-177 D.074,60x3,53 -25°C +270°C	74.60	0.00	3.53	Ffkm	10.00
	01.ORKAL.846896	FFKM 75SH OR 846-177 D.074,60x3,53 -15°C +330°C	74.61	0.00	3.53	Ffkm	0.00
	01.ORKAM.075004	FFKM 75SH OR M D.075,00x4 -25°C +270°C	75.00	0.00	4.00	Ffkm	0.00
	01.OMKAL.075030	FFKM ORM D.075,00x3,0 KALREZ 75 PN894	75.00	0.00	3.00	Ffkm	10.00
	01.OMKAL.075035	FFKM 75SH ORM D.075,00x3,5 (-25°C/+270°C)	75.00	0.00	3.50	Ffkm	0.00
	01.ORKAL.234000	FFKM 75SH OR 234-4300 D.075,80x3,53 (-25°C/+270°C)	75.80	0.00	3.53	Ffkm	10.00
	01.ORMKA.076045	FFKM 75SH OR M D.076,00x4,5 -25°C +270°C	76.00	0.00	4.50	Ffkm	0.00
	01.OMKAL.076030	FFKM 75SH ORM D.076,00x3 (-25°C/+270°C)	76.00	0.00	3.00	Ffkm	0.00
	01.ORKAL.235PB794	FFKM 70 WHITE PB794 OR 235 D.078,97x3,53	78.97	0.00	3.53	Ffkm	10.00
	01.ORKAL.235000	FFKM 75SH OR 235-4312 D.078,97x3,53 -25°C +270°C	78.97	0.00	3.53	Ffkm	10.00
	01.ORKAL.620000	FFKM 75SH OR 620-181 D.079,77x5,34 -25°C +270°C	79.77	0.00	5.34	Ffkm	11.70
	01.ORKAL.339000	FFKM 75SH OR 339-6325 D.081,92x5,34 -25°C +270°C	81.92	0.00	5.34	Ffkm	10.00
	01.ORMKA.082030	FFKM- ORM D.082,00x3 -25°+270°C	82.00	0.00	3.00	Ffkm	10.00
	01.ORKAL.236FDA	FFKM FDA 75SH O-R 236-4325 D.082,14x3,53	82.14	0.00	3.53	Ffkm fda	10.00
	01.ORKAL.236000	FFKM 75SH OR 236-4325 D.082,14x3,53 -25°C +270°C	82.14	0.00	3.53	Ffkm	10.00
	01.ORKAL.152000	FFKM 75SH O-R 152-3325D.082,22x2,62 -25°C +270°C	82.22	0.00	2.62	Ffkm	0.00
	01.ORKAL.042000	FFKM OR 042-2325 D.082,28x1,78 KAL6375	82.28	0.00	1.78	Ffkm	0.00
	01.ORMKA.084035	FFKM 75SH O-RM D.084x3,5 -25°C +270°C	84.00	0.00	3.50	Ffkm	10.00
	01.ORMKA.085050	FFKM 75SH O-RM D.085x5 -25°C +270°C	85.00	0.00	5.00	Ffkm	10.00
	01.ORKAL.340896	FFKM 75SH O-R 340-6337 D.085,09x5,34 -15°C +330°C	85.09	0.00	5.34	Ffkm	0.00
	01.ORKAL.340000	FFKM 75SH O-RING 340-6337 D.085,10x5,34 -25°C +270°C	85.10	0.00	5.34	Ffkm	10.00
	01.ORKAL.237PB794	FFKM 70 WHITE PB794 OR 237-4337 D.085,32x3,53	85.32	0.00	3.53	Ffkm	10.00
	01.ORKAL.237000	FFKM 75SH O-RING 237-4337 D.085,32x3,53 -25°C +270°C	85.32	0.00	3.53	Ffkm	1.80
	01.OMKAL.087044	FFKM ORM D.087,00x4,4 KALREZ 75 PN894	87.00	0.00	4.40	Ffkm	10.00
	01.ORKAL.153000	FFKM 75SH O-R 153-3350 D.088,58x2,62 -25°C +270°C	88.58	0.00	2.62	Ffkm	0.00
	01.ORKAL.153896	FFKM 75SH O-R 153-3350 D.088,58x2,62 -15°C +330°C	88.58	0.00	2.62	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
	01.ORKAL.621000	FFKM OR 621-185 D.089,69x5,34 MAX 316?C	89.69	0.00	5.34	Ffkm	10.00
	01.ORKAL.621PN896	FFKM OR 621-185 D.089,69x5,34 PN896 330?C	89.69	0.00	5.34	Ffkm	10.00
	01.ORMKA.090007	FFKM 75SH O-R M D.090x7 -25?C +270?C	90.00	0.00	7.00	Ffkm	0.00
	01.ORKAL.342000	FFKM 75SH O-R 342-6362 D.091,44x5,33 MAX 270?C	91.44	0.00	5.33	Ffkm	10.00
	01.ORKAL.239PN896	FFKM OR 239-4362 D.091,67x3,53 PN896 330?C	91.67	0.00	3.53	Ffkm	10.00
	01.ORKAL343000	FFKM OR 343-6375 D.094,62x5,34 - PN896 +330?C	94.62	0.00	5.34	Ffkm	10.00
	01.ORKAL343894	FFKM 75SH OR 343-6375 D.094,62x5,34 -25?C +270?C	94.62	0.00	5.34	Ffkm	13.50
	01.ORKAL.240PB894	FFKM 80 WHITE PB894 OR 240-4375 D.094,84x3,53 -20?C + 270?C	94.84	0.00	3.53	Ffkm	0.00
	01.ORKAL.240PB895	FFKM 80 WHITE PB895 OR 240-4375 D.094,84x3,53 -15?C +300?C	94.84	0.00	3.53	Ffkm	0.00
	01.ORKAL.240000	FFKM OR 240-4375 D.094,84x3,53 MAX 316?C	94.84	0.00	3.53	Ffkm	10.00
	01.ORKAL.240PB794	FFKM 70 WHITE PB794 OR 240-4375 D.094,84x3,53 -20?C + 270?C	94.84	0.00	3.53	Ffkm	0.00
	01.OMKAL.095020	FFKM 75SH O-RM D.095,00x2,0 PN896	95.00	0.00	2.00	Ffkm	0.00
	01.ORKAL.095503	O-R FFKM 75SH M D.095,5x3 -25?C/+270?C	95.50	0.00	3.00	Ffkm	0.00
	01.ORKAL.344000	FFKM 75SH OR 344-6387 D.097,80x5,34 -25?C +270?C	97.80	0.00	5.34	Ffkm	10.00
	01.ORKAL.241000	FFKM 75SH OR 241-4387 D.098,02x3,53 -25?C +270?C	98.02	0.00	3.53	Ffkm	10.00
	01.ORMKA.099431	FFKM 75SH ORM D.099,40x3,1	99.40	0.00	3.10	Ffkm	10.00
	01.ORMKA.100003	FFKM 75SH ORM D.100,00x3	100.00	0.00	3.00	Ffkm	10.00
	01.ORMKA.100020	FFKM 75SH ORM D.100x2 +270?C	100.00	0.00	2.00	Ffkm	10.00
	01.ORKAL.345000	FFKM 75SH OR 345-6400 D.100,97x5,34 -25?C +270?C	100.97	0.00	5.34	Ffkm	10.00
	01.ORKAL.242000	FFKM 70 OR 242-4400 D.101,20x3,53	101.20	0.00	3.53	Ffkm	10.00
	01.ORKAL.2424079	FFKM OR 242-4400 D.101,20x3,53	101.20	0.00	3.53	Ffkm	10.00
	01.ORKAL.155000	FFKM 75SH O-RING 155-3400 D.101,28x2,62	101.28	0.00	2.62	Ffkm	10.00
	01.ORKAL.045000	FFKM OR 045-2400 D.101,34x1,78 KAL6375	101.34	0.00	1.78	Ffkm	0.00
	01.ORMKA.104030	FFKM 75SH O-RING D.104x3	104.00	0.00	3.00	Ffkm	10.00
	01.ORKAL.346PB794	FFKM 70 WHITE PB794 OR 346 D.104,14x5,34	104.14	0.00	5.34	Ffkm	10.00
	01.ORKAL.346000	O-R FFKM 75SH 346-6412 D.104,14x5,34 -25?C +270?C	104.14	0.00	5.34	Ffkm	0.00
	01.ORMKA.104203	FFKM 75SH O-RING D.104,2x3 -25?C +270?C	104.20	0.00	3.00	Ffkm	10.00
	01.ORKAL.243000	FFKM 75SH OR 243-4412 D.104,37x3,53 -25?C +270?C	104.37	0.00	3.53	Ffkm	6.64
	01.ORKAL.156000	FFKM 75SH O-R 156-3425 D.107,62x2,62 max 330?C	107.62	0.00	2.62	Ffkm	10.00
	01.ORKAL.623000	FFKM 75 OR 623-193 D.109,5x5,34	109.50	0.00	5.34	Ffkm	10.00
	01.ORKAL.109503	O-R FFKM 75SH M D.109,5x3 -25?C/+270?C	109.50	0.00	3.00	Ffkm	0.00
	01.ORMKA.110004	FFKM- ORM D.110,00x4 317?C	110.00	0.00	4.00	Ffkm	10.00
	01.ORKAL.245000	FFKM OR 245-4437 D.110,72x3,53	110.72	0.00	3.53	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORKAL.245PB794	FFKM 70 WHITE PB794 OR 245 D.110,72x3,53	110.72	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.425000	FFKM 75SH OR 425-8450 D.113,67x6,99 (-25°C/+270°C)	113.67	0.00	6.99	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.246000	FFKM 75SH OR 246-4450 D.113,90x3,53 -25°C +270°C	113.90	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.157PB794	FFKM 70 WHITE PB794 OR 157 D.113,98x2,62	113.98	0.00	2.62	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.157896	FFKM 75SH OR 157-3450 D.113,98x2,62 -15°C +330°C	113.98	0.00	2.62	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.115533	FFKM 75 OR-M D.115x5,33	115.00	0.00	5.33	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.247000	FFKM 75SH OR 247-4462 D.117,07x3,53 -25°C +270°C	117.07	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.120004	FFKM 75SH O-RM D.120x4 -25°C +270°C	120.00	0.00	4.00	Ffkm	10.10
 GUARNIZIONI INDUSTRIALI	01.OMKAL.120050	FFKM 75SH O-RM D.120,00x5 -25°C +270°C PN894	120.00	0.00	5.00	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.248000	FFKM 75SH OR 248-4475 D.120,24x3,53 -25°C +270°C	120.24	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.861000	FFKM 75SH O-R 861-201 D.120,70x5,34 -25°C +270°C	120.70	0.00	5.34	Ffkm	17.91
 GUARNIZIONI INDUSTRIALI	01.ORKAL.249PB794	FFKM 70 WHITE PB794 OR 249 D.123,42x3,53 -20°C / +270°C	123.42	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.249PB894	FFKM 80 WHITE PB894 OR 249 D.123,42x3,53 -20°C / +270°C	123.42	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.249PB895	FFKM 80 WHITE PB895 OR 249 D.123,42x3,53 -15°C / +300°C	123.42	0.00	3.53	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.249070W	FFKM 70SH O-R 249-4487 D.123,42x3,53 (WHITE) -15°C +270°C	123.42	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.049000	FFKM 75SH O-R 049-2500 D.126,76x1,78 -25°C +270°C	126.76	0.00	1.78	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.354000	FFKM 75SH OR 354 D.129,54x5,34 -25°C +270°C	129.54	0.00	5.34	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.251000	FFKM 75SH OR 251-4512 D.129,77x3,53 -25°C +270°C	129.77	0.00	3.53	Ffkm	8.18
 GUARNIZIONI INDUSTRIALI	01.ORKAL.252000	FFKM 75SH OR 252-4525 D.132,94x3,53 -25°C +270°C	132.94	0.00	3.53	Ffkm	8.51
 GUARNIZIONI INDUSTRIALI	01.ORKAL.626000	FFKM 75SH OR 626-211 D.134,50x6,99 (-25°C/+270°C)	134.50	0.00	6.99	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.432PN896	FFKM OR 432-8537 D.0135,90x6,99 PN896 330°C	135.90	0.00	6.99	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.253000	FFKM 75SH OR 253-4537 D.136,12x3,53 -25°C +270°C	136.12	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.254000	FFKM 75SH OR 254-4550 D.139,30x3,53 -25°C +270°C	139.30	0.00	3.53	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.255896	FFKM 75SH OR 255-4562 D.142,47x3,53 -15°C +330°C	142.47	0.00	3.53	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.257000	FFKM 75SH OR 257-4587 D.148,82x3,53 -25°C +270°C	148.82	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.870000	FFKM 75SH OR 870-221 D.149,23x5,34	149.23	0.00	5.34	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.150006	FFKM - ORM 75SH D.150,00x6 -25°C/+270°C	150.00	0.00	6.00	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.361000	FFKM 75SH OR 361-6600 D.151,77x5,34 -25°C +270°C	151.77	0.00	5.34	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.258000894	FFKM 75SH OR 258-4600 D.152,00x3,53 +270°C	152.00	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.152055	FFKM - ORM 75SH D.152,00x5,5 -25°C/+270°C	152.00	0.00	5.50	Ffkm	10.00
	01.ORKAL.163000	FFKM 75SH OR 163-3600 D.152,62x2,62 -25°C +270°C	152.62	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.155005	FFKM ORM D.155,00x5 MAX 316°C	155.00	0.00	5.00	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.155533	FFKM 75SH OR M D.155x5,33 -25°C +270°C	155.00	0.00	5.33	Ffkm	0.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 GUARNIZIONI INDUSTRIALI	01.ORKAL.164000	FFKM 75SH OR 164-3625 D.158,43x2,62 -25°C +270°C	158.43	0.00	2.62	Ffkm	10.00
 DISTRIBUTION	01.ORMKA.163055	FFKM - ORM 75SH D.163,00x5,5 -25°C/+270°C	163.00	0.00	5.50	Ffkm	10.00
 DISTRIBUTION	01.ORKAL363000	FFKM 75SH OR 363-6645 D.164,47x5,33 -25°C +270°C	164.47	0.00	5.33	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.439000	FFKM 75SH OR 439-8650 D.164,47x6,99 -25°C +270°C	164.47	0.00	6.99	Ffkm	0.00
 DISTRIBUTION	01.ORKAL.260000	FFKM 75SH OR 260-4650 D.164,70x3,53 -25°C +270°C	164.70	0.00	3.53	Ffkm	10.40
 GUARNIZIONI INDUSTRIALI	01.OMKAL.165020	FFKM 75SH O-RM D.165,00x2,0 PN896	165.00	0.00	2.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.170353	FFKM 75SH O-RING D.170,82x3,53	170.82	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.261PB794	FFKM 70 WHITE PB794 OR 261 D.171,04x3,53	171.04	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.261000	FFKM 75SH OR 261-4675 D.171,05x3,53 -25°C +270°C	171.05	0.00	3.53	Ffkm	10.90
 GUARNIZIONI INDUSTRIALI	01.ORKAL.166896	FFKM 75SH OR 166-3675 D.171,13x2,62 -15°C +330°C	171.13	0.00	2.62	Ffkm	0.00
 DISTRIBUTION	01.ORKAM.175005	FFKM 75SH OR M D.175,00x5 -25°C +270°C	175.00	0.00	5.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.262000	FFKM 75SH OR 262-4700 D.177,40x3,53 -25°C +270°C	177.40	0.00	3.53	Ffkm	11.08
 GUARNIZIONI INDUSTRIALI	01.ORMKA.180040	FFKM 75SH O-RING D.180x4 -25°C +270°C	180.00	0.00	4.00	Ffkm	0.00
	01.ORKAL366000	FFKM 896 OR 366-6720 D.183,52x5,34	183.52	0.00	5.33	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.263000	FFKM 75SH O-R 263-4725 D.183,75x3,53 (-25°C/+270°C)	183.75	0.00	3.53	Ffkm	0.00
 DISTRIBUTION	01.ORMKA.190075	FFKM 75SH ORM D.190,00x7,5	190.00	0.00	7.50	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.265PN896	FFKM OR 265-4775 D.196,44x3,53 PN896 330°C	196.44	0.00	3.53	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.369000	FFKM 75SH OR 369-6795 D.202,57x5,34 -25°C +270°C	202.57	0.00	5.34	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.371000	O-R .FFKM 75SH 371-6850 D.215,27x5,34 -25°C +270°C	215.27	0.00	5.34	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.269000	FFKM 75SH OR 269-4875 D.221,85x3,53 -25°C +270°C	221.85	0.00	3.53	Ffkm	14.29
 GUARNIZIONI INDUSTRIALI	01.OMKAL.225012	O-R FFKM 75SH M D.225x12 (-25°C/+270°C)	225.00	0.00	12.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.447000	FFKM 75SH OR 447-8900 D.227,97x6,99 -25°C +270°C	227.97	0.00	6.99	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.230040	FFKM 75SH O-RING D.230x4 -25°C +270°C	230.00	0.00	4.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.448000	FFKM 75SH OR 448-8950 D.240,67x6,99 -25°C +270°C	240.67	0.00	6.99	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.272000	FFKM O-R 272-4950 D.240,90x3,53 +316°C	240.90	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.177896	FFKM 75SH OR 177-3950 D.240,98x2,62 -15°C +330°C	240.98	0.00	2.62	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.OMKAL.242080	FFKM ORM D.242,00x8,0 PN894	242.00	0.00	8.00	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.376PB794	FFKM 70 WHITE PB794 OR 376 D.247,02x5,34	247.02	0.00	5.34	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.273PB794	FFKM 70 WHITE PB794 OR 273 D.247,24x3,53	247.24	0.00	3.53	Ffkm	10.00
 GUARNIZIONI INDUSTRIALI	01.ORKAL.377000	FFKM 75SH O-R 377-6995 D.253,57x5,34 -25°C + 270°C	253.57	0.00	5.34	Ffkm	0.00
 GUARNIZIONI INDUSTRIALI	01.ORMKA.260040	FFKM 75SH O-RING D.260x4 -25°C +270°C	260.00	0.00	4.00	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.378000	FFKM 75SH OR 378-61050 D.266,07x5,34 (-25°C/+270°C)	266.07	0.00	5.34	Ffkm	10.00
 DISTRIBUTION	01.ORKAL.275000	FFKM 75SH O-R 275-41050 D.266,30x3,53 -25°C +270°C	266.30	0.00	3.53	Ffkm	10.00

Ricerca	Codice	Descrizione	d	D	Spessore	Materiale	Peso
 NET SEALS — DISTRIBUTION —	01.ORMKA.277055	FFKM - ORM 75SH D.277,00x5,5 -25?C/+270?C	277.00	0.00	5.50	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.379000	FFKM 75SH OR 379-61100 D.278,77x5,34 (-25?C/+270?C)	278.77	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.379N9LT	FFKM 90SH A N9LT OR 379-61100 D.278,77x5,34 -46?C +270?C	278.77	0.00	5.34	Ffkm fda	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.379PN7	FFKM 70SH FDA N794 OR 379-61100 D.278,77x5,34 -25?C + 270?C	278.77	0.00	5.34	Ffkm fda	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.452000	FFKM 75SH OR 452-81150 D.291,47x6,99 -25?C +270?C	291.47	0.00	6.99	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.380000	FFKM 75SH OR 380-61150 D.291,47x5,34 -25?C +270?C	291.47	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.320533	FFKM 75 OR-M D.320x5,33	320.00	0.00	5.33	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.320055	FFKM - ORM 75SH D.320,00x5,5 -25?C/+270?C	320.00	0.00	5.50	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.325533	FFKM 75 OR-M D.325x5,33	325.00	0.00	5.33	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL382000	FFKM 75SH OR 382-61300 D.329,57x5,34	329.57	0.00	5.33	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.457000	FFKM 75SH OR 457-81400 D.354,97x6,99 -25?C +270?C	354.97	0.00	6.99	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.383000	FFKM 75SH OR 383-61400 D.354,97x5,34 -25?C +270?C	354.97	0.00	5.34	Ffkm	0.00
 FREUDENBERG	01.ORKAL.280000	FFKM OR 280-41400 D.355,20x3,53	355.20	0.00	3.53	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.036007	FFKM 75SH A O-R M D.360,00x7 FOOD EZTRA Z003 -10?C +275?C	360.00	0.00	7.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.360533	FFKM 75 OR-M D.360x5,33	360.00	0.00	5.33	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.036407	FFKM 75SH A O-R M D.364,00x7 FOOD EZTRA Z003 -10?C +275?C	364.00	0.00	7.00	Ffkm	0.00
 FREUDENBERG	01.ORKAL384000	FFKM 896 OR 384-61500 D.380,37x5,34	380.37	0.00	5.33	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.461000	FFKM 75SH OR 461-81600 D.405,26x6,99 -25?C +270?C	405.26	0.00	6.99	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORMKA.481533	FFKM 75SH O-R M D.481,00x5,33 -25?C / +270?C	481.00	0.00	5.33	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.470000	FFKM 75SH OR 470-82100 D.532,26x6,99 -25?C +270?C	532.26	0.00	6.99	Ffkm	10.00
 NET SEALS — DISTRIBUTION —	01.ORKAL.391000	FFKM 80SH OR 391-62200 D.557,61x5,34	557.61	0.00	5.34	Ffkm	10.00
 MCM GUARNIZIONI INDUSTRIALI	01.ORKAL.73700770	FFKM 70SH D.737x7 -25?C +270?C	737.00	0.00	7.00	Ffkm	0.00
 MCM GUARNIZIONI INDUSTRIALI	01.OMKAL.817508	FFKM 75SH O-R M D.817,50x8 -25?C +270?C	817.50	0.00	8.00	Ffkm	0.00
 NET SEALS — DISTRIBUTION —	01.ORMKA.151007	FFKM O-R M D.1510,00x7 -10?C +275?C	1510.00	0.00	7.00	Ffkm	10.00